PRODEL S.r.l.

Design & TECHNOLOGY

ENGLISH

GENERAL CATALOGUE

When panels become masterpieces...

Index

Title	Page
News	4
Colour and Treatments	6
Cross table Urmet Exigo / Prodel panels	8
Success Stories	9
Line 825	12
Line 825/7xx	18
Line 7815A	24
Line 7825A	30
Line 1815A	38
Line 1825A	42
Line 5182	48
Line 5082	54
Line 7881	58
Line 7881A	62
Line 7882A	66
Line 7883A	72
Line 7884A	76
Line 1810A	84
Line 1820A	88
Line 1830A	94
Line 1840A	98
Line 1725	106
Line 782x3	114
Line 782x4	120
Model 1072/14C	126
Model 1072/14V	127
Model 1082/14C	128
Model 1082/14V	129
Model 1038/16C	130
Model 1038/16V	131

Title	Page
Model 1156	132
Model 1156/700	133
Line 1156/x	134
Line 1156/70x	136
Line 625	138
Line 625 Two-Channels	146
Line 777x	152
Line 7882A/90x	156
Line 1820A/90x	158
Letter Plates	160
"Poste Regie" Postalbox	161
Mailbox Panels	162
Mailbox Panels with Door Bell	163
Rear Door for Mail Collection	164
Mailbox Panel with Front Door	165
Special Solutions	166
Special Request Form	169
Plate Engraving	170
Door Bells	174
Brass Switch Covers	182
Brass Panel Accessories	186
Electronic Ringers	192
Line 106	194
Model 1008	196
Model 1054	198
Model 9501	200
Line 119	202
Line 118	206
PVD Technology	214

FOUR GOOD REASONS TO CHOSE PRODEL BRASS PANELS

Leader for **CUSTOMIZED** brass panel development (custom shapes, dimensions,...)

Excellent Lightening for nameplates using **LED backlight**



Very easy mounting for electronic thanks to **PLUG and PLAY** support already installed in the back of the panel

The best quality of the market thanks to **PVD technology**

Dear Valuable Customer,

Dear customer, we would like to thank you for your interest on Prodel products.

We wish you could join the always increasing list of customers that choose the best quality and design available in the market for this type of products.

Choosing one of our brass panels you will own a real masterpiece, completely engineered on each production phase to achieve the top of the quality.

From mechanical design made by CAD machines on 3mm thickness brass sheet, to the innovative **PVD** treatment to avoid brass oxidation using Titanium and Zirconium.

Thanks to this treatment, made in vacuum and high temperature machines, the brightness and shining of your panel will be permanently maintained making your panel a perfect fit with your location.

News

- **All models available in Urmet Domus Exigo catalogue in Brass PVD Polished and Brass PVD Brushed, are now available in Prodel catalogue for all colours and treatments**
  - POLISHED NATURAL BRASS (No **PVD** treatment) - LN
  - BRUSHED BRASS GUNMETAL COLOUR WITH **PVD** - SF
  - BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD** - SB
  - BRUSHED BRASS STEEL COLOUR WITH **PVD** - SA
  - POLISHED BRASS STEEL COLOUR WITH **PVD** - LA
  - OLD IRON BRASS (PROTECTIVE PAINTING at high temperature, NO **PVD**) – VM

- **New product in the catalogue**
  - Audio brass panels for 725 aluminium panel replacement
  - Audio and video brass panels with electronic call module for BIBUS, 2GO! E DIGIVOICE integrated on board
  - Audio and video brass panels with door opening systems integrated on board
  - Two channels audio brass panels for 625 replacement (1, 2, 3 and 4 rows)
  - Two channels audio aluminium panels for 625 replacement (1, 2, 3 and 4 rows)
  - Postalbox brass panels with audio and video system
  - Engraving of brass plates
  - Brass door bells
  - Brass cover switches
  - Brass panel accessories

- **Update on Prodel catalogue parts**
  - Audio aluminium panels for 625 replacement (1, 2, 3 and 4 rows)
  - Vandal resistant aluminium audio panels with 1, 2 e 4 rows
  - Brass postalbox
  - Electronic ringers
  - Intercom handsfree units
  - Telephonic intercom handsfree units

- **Carrara marble frame**

Colors and treatements

*POLISHED BRASS COLOUR WITH **PVD** (LO)* *Antioxidation treatment **PVD**, just polish with a soft dry cloth*	*BRUSHED BRASS COLOUR WITH **PVD** (SO)* *Antioxidation treatment **PVD**, just polish with a soft dry cloth*	*BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD** (SB)* *Antioxidation treatment **PVD**, just polish with a soft dry cloth*	*BRUSHED BRASS GUNMETAL COLOUR WITH **PVD** (SF)* *Antioxidation treatment **PVD**, just polish with a soft dry cloth*
The panel is manufactured using CAD machines with **mirror polished** finishing on 3mm high quality brass. Then the panel is put under an electrochemical nickel treatment and finally **PVD** (Physical Vapour Deposition) is made over the panel to protect it against atmospheric agents. Titanium and Zirconium vapours are diffused at high temperature and under vacuum conditions over the panel in **BRASS COLOUR PVD**. Then **BRASS buttons with BRASS COLOUR PVD** treatment are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **BRASS COLOUR PVD brass nameplate or black PVC plastic nameplate (on demand PT1810/309)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.	The panel is manufactured using CAD machines with **brushed** finishing on 3mm high quality brass. Then the panel is put under an electrochemical nickel treatment and finally **PVD** (Physical Vapour Deposition) is made over the panel to protect it against atmospheric agents. Titanium and Zirconium vapours are diffused at high temperature and under vacuum conditions over the panel in **BRASS COLOUR PVD**. Then **BRASS buttons with BRASS COLOUR PVD** treatment are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **BRASS COLOUR PVD brass nameplate or black PVC plastic nameplate (on demand PT1810/309)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.	The panel is manufactured using CAD machines with **brushed** finishing on 3mm high quality brass. Then the panel is put under an electrochemical nickel treatment and finally **PVD** (Physical Vapour Deposition) is made over the panel to protect it against atmospheric agents. Titanium and Zirconium vapours are diffused at high temperature and under vacuum conditions over the panel in **COPPER BRONZE COLOUR PVD**. Then **BRASS buttons with BRASS COLOUR PVD** treatment are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **BRASS COLOUR PVD brass nameplate or black PVC plastic nameplate (on demand PT1810/309)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.	The panel is manufactured using CAD machines with **brushed** finishing on 3mm high quality brass. Then the panel is put under an electrochemical nickel treatment and finally **PVD** (Physical Vapour Deposition) is made over the panel to protect it against atmospheric agents. Titanium and Zirconium vapours are diffused at high temperature and under vacuum conditions over the panel in **GUN METAL COLOUR**. Then **BRASS buttons with BRASS COLOUR PVD (or STEEL COLOUR PVD on demand)** treatment are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **BRASS COLOUR PVD brass nameplate or black PVC plastic nameplate (on demand PT1810/309, or STEEL COLOUR PVD on demand)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.

Colors and treatements

*POLISHED BRASS STEEL COLOUR WITH **PVD*** **(LA)** *Antioxidation treatment **PVD**, just polish with a soft dry cloth*	*BRUSHED BRASS STEEL COLOUR WITH **PVD*** **(SA)** *Antioxidation treatment **PVD**, just polish with a soft dry cloth*	*POLISHED NATURAL BRASS* **(LN)** *No treatements*	*OLD IRON BRASS* **(VM)** *No polishing needed*
The panel is manufactured using CAD machines with **polished** finishing on 3mm high quality brass. Then the panel is put under an electrochemical nickel treatment and finally **PVD** (Physical Vapour Deposition) is made over the panel to protect it against atmospheric agents. Titanium and Zirconium vapours are diffused at high temperature and under vacuum conditions over the panel in **STEEL COLOUR**. Then **STEEL buttons with BRASS COLOUR PVD (or BRASS COLOUR PVD on demand)** treatment are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **STEEL COLOUR PVD brass nameplate or black PVC plastic nameplate (on demand PT1810/309, or BRASS COLOUR PVD on demand)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.	The panel is manufactured using CAD machines with **brushed** finishing on 3mm high quality brass. Then the panel is put under an electrochemical nickel treatment and finally **PVD** (Physical Vapour Deposition) is made over the panel to protect it against atmospheric agents. Titanium and Zirconium vapours are diffused at high temperature and under vacuum conditions over the panel in **STEEL COLOUR**. Then **STEEL buttons with BRASS COLOUR PVD (or BRASS COLOUR PVD on demand)** treatment are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **STEEL COLOUR PVD brass nameplate or black PVC plastic nameplate (on demand PT1810/309, or BRASS COLOUR PVD on demand)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.	The panel is manufactured using CAD machines with **mirror polished** finishing obtaining the **NATURAL BRASS** effect on 3mm high quality brass. Then **NATURAL BRASS buttons** are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **NATURAL BRASS nameplate or black PVC plastic nameplate (on demand PT1810/309)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.	The panel is manufactured using CAD machines and **painted** to obtain the **OLD IRON** effect on 3mm high quality brass. Then the panel is put under special painting to protect it against atmospheric agents. Then **BRASS buttons with BRASS COLOUR PVD (or STEEL COLOUR PVD on demand)** treatment are mounted. Behind the panel two hinges are mounted for each nameplate. Also the supports for electronic (camera and loudspeaker) are mounted behind the panel. Finally LED for each nameplate are installed inside the embedding box. Many accessories are included like temporary nameplates, plastic to increase light diffusion and **BRASS COLOUR PVD brass nameplate or black PVC plastic nameplate (on demand PT1810/309, or STEEL COLOUR PVD on demand)**. Finally the panel is mounted on the embedding box and shipped jointly with burglar key.

Cross Table Urmet Exigo / PT

EMBEDDI NG BOX	SYSTEM	ROWS	ELECTRONIC	BUTTONS	UD EXIGO MODEL	PT MODEL
625	AUDIO	1	5150/500 + 1128/500	from 1 to 2	no	• 7881
			UNIVERSAL PE	from 3 to 6	▶ 1121/10x	▮ 7881A
				from 7 to 10	no	• 7881A
				more than 10	no	• SPECIAL
		2	UNIVERSAL PE	less than 4	no	• SPECIAL
				from 4 to 20	▶ 1121/2xx	▮ 7882A
				from 22 to 30	no	• 7882A
				more than 30	no	• SPECIAL
		3	UNIVERSAL PE	less than 21	no	• SPECIAL
				from 21 to 39	no	• 7883A
				more than 39	no	• SPECIAL
		4	UNIVERSAL PE	less than 30	no	• SPECIAL
				from 30 to 64	no	• 7884A
				more than 64	no	• SPECIAL
		ALL	ALL	ALL	no	• SPECIAL
	VIDEO	1	UNIVERSAL PE + TC 1810/70 o /40	from 1 to 2	no	• 1810A
				from 3 to 6	▶ 1721/10x	▮ 1810A
				from 7 to 10	no	• 1810A
				more than 10	no	• SPECIAL
		2	UNIVERSAL PE + TC 1810/70 o /40	less than 4	no	• SPECIAL
				from 4 to 20	▶ 1721/2xx	▮ 1820A
				from 22 to 28	no	• 1820A
				more than 28	no	• SPECIAL
		3	UNIVERSAL PE + TC 1810/70 o /40	less than 21	no	• SPECIAL
				from 21 to 39	no	• 1830A
				more than 39	no	• SPECIAL
		4	UNIVERSAL PE + TC 1810/70 o /40	less than 30	no	• SPECIAL
				from 30 to 64	no	• 1840A
				more than 64	no	• SPECIAL
		ALL	ALL	ALL	no	• SPECIAL
	TWO-CHANNELS	1	4330/27	from 1 to 4	no	• 78213
		2	4330/27	from 6 to 20	no	• 78223
		3	4330/27	from 24 to 30	no	• 78233
		1	4340/27	from 1 to 4	no	• 78214
		2	4340/27	from 6 to 20	no	• 78224
		3	4340/27	from 24 to 30	no	• 78234
		ALL	ALL	ALL	no	• SPECIAL
	POSTALBOX	1	UNIVERSAL PE	from 1 to 2	no	• 7882A/90x
		1	UNIVERSAL PE + TC 1810/70 o /40	from 1 to 2	no	• 1820A/90x
		ALL	ALL	ALL	no	• SPECIAL
SINTHESI	AUDIO	1	824/500	from 1 to 2	▶ 1143/x	▮ 825
				from 3 to 14	no	• 825
				more than 14	no	• SPECIAL
			1082/7	from 1 to 12	no	• 5182
			UNIVERSAL PE	from 1 to 6	▶ 1143/10x	▮ 7815A
				from 7 to 10	no	• 7815A
				more than 10	no	• SPECIAL
		2	UNIVERSAL PE	from 1 to 6	no	• SPECIAL
				from 7 to 10	▶ 1143/10x	▮ 7825A
				from 11 to 26	no	• 7825A
				more than 26	no	• SPECIAL
		ALL	ALL	ALL	no	• SPECIAL
	VIDEO	1	824/500 + TC 1810/70 o /40	from 1 to 2	▶ 1743/x	▮ 825/7xx
				from 3 to 14	no	• 825/7xx
				more than 14	no	• SPECIAL
			1082/72	from 1 to 8	no	• 5082
			UNIVERSAL PE + TC 1810/70 o /40	from 1 to 6	▶ 1743/10x	▮ 1815A
				from 7 to 10	no	• SPECIAL
				more than 10	no	• SPECIAL
		2	UNIVERSAL PE + TC 1810/70 o /40	from 1 to 6	no	• SPECIAL
				from 7 to 10	▶ 1743/10x	▮ 1825A
				from 11 to 21	no	• 1825A
				more than 21	no	• SPECIAL
		ALL	ALL	ALL	no	• SPECIAL
725	AUDIO	1	1035/67, 1128/500, 1038/62, 1072/19A	from 1 to 8	no	• 1725/10x
		2		from 4 to 20	no	• 1725/2xx
		ALL	ALL	ALL	no	• SPECIAL
	VIDEO	ALL	ALL	ALL	no	• SPECIAL
KSTEEL	AUDIO	1	1156/10 + 824/500	from 1 to 4	no	• 1156/x
			1072/14	no	no	• 1072/14C
			1082/14	no	no	• 1082/14C
			1038/16	no	no	• 1038/16C
		ALL	ALL	ALL	no	• SPECIAL
	VIDEO	1	1156/10 + 824/500 + TC 1810/70 o /40	from 1 to 4	no	• 1156/70x
			1072/14 + TC 1810/70 o /40	no	no	• 1072/14V
			1082/14 + TC 1810/70 o /40	no	no	• 1082/14V
			1038/16 + TC 1810/70 o /40	no	no	• 1038/16V
		ALL	ALL	ALL	no	• SPECIAL

▶ POLISHED PVD and BRUSHED PVD treatments (LO, SO)
▮ OTHER finishing (LN, SB, SF, SA, LA, VM)
• ALL finishing (LN, SO, LO, SB, SF, SA, LA, VM)

UNIVERSAL PE = 1128/500, 1082/101, 1038/62, 1035/67, 1072/19A



LINE 825

This line of products called 825 consists of audio brass panels based on loudspeaker 824/500 and can be mounted on SINTHESI or KOMBI embedding boxes.

825 panels include embedding box and White LED for each nameplate but, on demand, also front panels can be available and can me mounted on embedding boxes already installed.

Always on demand Prodel supplies 825 panels in all shapes, finishing and colours.

LINE 825 – AUDIO BRASS PANELS 1 ROW COMPATIBLE WITH LOUDSPEAKER 824/500 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT825/xLN	PT825/xSO	PT825/xLO	PT825/xSB	PT825/xSF	PT825/xSA	PT825/xLA	PT825/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

Extremely easy to install: just mount loudspeaker behind the panel using the frame already mounted on board.

No glue, no workarounds. Simply the best solution to combine highest quality brass panel and most advanced Urmet electronic.



Model PT825/1

AUDIO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: 1 Sinthesi module
Front panel dimensions: width = 132 mm – height = 198 mm
Embedding box dimensions: width = 118 mm – height = 114 mm – depth = 45 mm

PRODUCT	DESCRIPTION
PT825/1LN	POLISHED NATURAL BRASS
PT825/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/1VM	OLD IRON BRASS



Model PT825/2

AUDIO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: 1 Sinthesi module
Front panel dimensions: width = 132 mm – height = 198 mm
Embedding box dimensions: width = 118 mm – height = 114 mm – depth = 45 mm

PRODUCT	DESCRIPTION
PT825/2LN	POLISHED NATURAL BRASS
PT825/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/2VM	OLD IRON BRASS



Model PT825/3

AUDIO BRASS PANEL 3 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/3LN	POLISHED NATURAL BRASS
PT825/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/3VM	OLD IRON BRASS



Model PT825/4

AUDIO BRASS PANEL 4 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/4LN	POLISHED NATURAL BRASS
PT825/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/4VM	OLD IRON BRASS



Model PT825/5

AUDIO BRASS PANEL 5 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 – height = 270 mm
Embedding box dimensions: width = 118 – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/5LN	POLISHED NATURAL BRASS
PT825/5SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/5SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/5SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/5LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/5VM	OLD IRON BRASS



Model PT825/6

AUDIO BRASS PANEL 6 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/6LN	POLISHED NATURAL BRASS
PT825/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/6VM	OLD IRON BRASS



Model PT825/7

AUDIO BRASS PANEL 7 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/7LN	POLISHED NATURAL BRASS
PT825/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/7VM	OLD IRON BRASS



Model PT825/8

AUDIO BRASS PANEL 8 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/8LN	POLISHED NATURAL BRASS
PT825/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/8VM	OLD IRON BRASS



Model PT825/9

AUDIO BRASS PANEL 9 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/9LN	POLISHED NATURAL BRASS
PT825/9SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/9SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/9SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/9LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/9VM	OLD IRON BRASS



Model PT825/10

AUDIO BRASS PANEL 10 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/10LN	POLISHED NATURAL BRASS
PT825/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/10VM	OLD IRON BRASS



Model PT825/11

AUDIO BRASS PANEL 11 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/11LN	POLISHED NATURAL BRASS
PT825/11SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/11SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/11SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/11VM	OLD IRON BRASS



Model PT825/12

AUDIO BRASS PANEL 12 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/12LN	POLISHED NATURAL BRASS
PT825/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/12VM	OLD IRON BRASS



Model PT825/13

AUDIO BRASS PANEL 13 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/13LN	POLISHED NATURAL BRASS
PT825/13SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/13SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/13SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/13LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/13VM	OLD IRON BRASS



Model PT825/14

AUDIO BRASS PANEL 14 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/14LN	POLISHED NATURAL BRASS
PT825/14SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/14SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/14SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/14LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/14VM	OLD IRON BRASS

LINE 825/7xx

Line 825/7xx is the video door phone version of Line 825. So it uses the loudspeaker 824/500 and camera 1810/40 (COLOUR camera) or 1810/70 (B/W) and they are installed on KOMBI or SINTHESI embedding boxes.

All panels are including embedding box and white LEDs backlight for each nameplate.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 825/7xx panels in all shapes, finishing and colours.

LINE 825/7xx – VIDEO BRASS PANELS 1 ROW COMPATIBLE WITH LOUDSPEAKER 824/500 AND CAMERA 1810/70 OR 1810/40 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT825/7xxLN	PT825/7xxSO	PT825/7xxLO	PT825/7xxSB	PT825/7xxSF	PT825/7xxSA	PT825/7xxLA	PT825/7xxVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

Mounting is very easy, like plug and play. Just put the loudspeaker on the frame already mounted behind the panel. Then plug the camera on the specific camera frame behind the panel as well. So the camera can be easily removed for repairing.

Another example of plug and play is the camera support that allows to change camera orientation to achieve the best video quality.



Model PT825/701

VIDEO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/701LN	POLISHED NATURAL BRASS
PT825/701SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/701SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/701SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/701LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/701VM	OLD IRON BRASS



Model PT825/702

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/702LN	POLISHED NATURAL BRASS
PT825/702SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/702SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/702SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/702LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/702VM	OLD IRON BRASS



Model PT825/703

VIDEO BRASS PANEL 3 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/703LN	POLISHED NATURAL BRASS
PT825/703SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/703SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/703SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/703LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/703VM	OLD IRON BRASS



Model PT825/704

VIDEO BRASS PANEL 4 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/704LN	POLISHED NATURAL BRASS
PT825/704SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/704SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/704SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/704LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/704VM	OLD IRON BRASS



Model PT825/705

VIDEO BRASS PANEL 5 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/705LN	POLISHED NATURAL BRASS
PT825/705SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/705SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/705SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/705LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/705VM	OLD IRON BRASS



Model PT825/706

VIDEO BRASS PANEL 6 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/706LN	POLISHED NATURAL BRASS
PT825/706SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/706SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/706SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/706LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/706VM	OLD IRON BRASS

Model PT825/707

VIDEO BRASS PANEL 7 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/707LN	POLISHED NATURAL BRASS
PT825/707SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/707SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/707SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/707LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/707VM	OLD IRON BRASS



Model PT825/708

VIDEO BRASS PANEL 8 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/708LN	POLISHED NATURAL BRASS
PT825/708SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/708SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/708SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/708LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/708VM	OLD IRON BRASS



Model PT825/709

VIDEO BRASS PANEL 9 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/709LN	POLISHED NATURAL BRASS
PT825/709SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/709SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/709AF	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/709LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/709VM	OLD IRON BRASS



Model PT825/710

VIDEO BRASS PANEL 10 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT825/710LN	POLISHED NATURAL BRASS
PT825/710SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/710SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/710SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/710LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/710VM	OLD IRON BRASS

LINE 7815A

Line 7815A consists of audio brass panels in 1 row that can be used on almost all systems. In fact the 7815A is compatible with following loudspeakers: 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

7815A panels can be mounted on KOMBI or SINTHESI embedding boxes and include white LED backlight for each nameplate.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 7815A panels in all shapes, finishing and colours.

LINE 7815A – AUDIO BRASS PANELS 1 ROW COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT7815A/xLN	PT7815A/xSO	PT7815A/xLO	PT7815A/xSB	PT7815A/xSF	PT7815/xSA	PT7815/xLA	PT7815A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

1072/19A, 1035/67, 1038/62 loudspeakers are mounted directly on the frame installed behind the panel.

1128/500 and 1082/101 loudspeaker are mounted inside the embedding box using the plastic support that is connected to the frame installed behind the panel. To optimize the audio quality, the microphone is mounted on a specific support to connect to the frame installed behind the panel.



Model PT7815A/1

AUDIO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/1LN	POLISHED NATURAL BRASS
PT7815A/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/1VM	OLD IRON BRASS



Model PT7815A/2

AUDIO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/2LN	POLISHED NATURAL BRASS
PT7815A/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/2VM	OLD IRON BRASS



Model PT7815A/3

AUDIO BRASS PANEL 3 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/3LN	POLISHED NATURAL BRASS
PT7815A/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/3VM	OLD IRON BRASS



Model PT7815A/4

AUDIO BRASS PANEL 4 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/4LN	POLISHED NATURAL BRASS
PT7815A/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/4VM	OLD IRON BRASS



Model PT7815A/5

AUDIO BRASS PANEL 5 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/5LN	POLISHED NATURAL BRASS
PT7815A/5SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/5SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/5SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/5LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/5VM	OLD IRON BRASS



Model PT7815A/6

AUDIO BRASS PANEL 6 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/6LN	POLISHED NATURAL BRASS
PT7815A/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/6VM	OLD IRON BRASS



Model PT7815A/7

AUDIO BRASS PANEL 7 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/7LN	POLISHED NATURAL BRASS
PT7815A/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/7VM	OLD IRON BRASS



Model PT7815A/8

AUDIO BRASS PANEL 8 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/8LN	POLISHED NATURAL BRASS
PT7815A/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/8VM	OLD IRON BRASS



Model PT7815A/9

AUDIO BRASS PANEL 9 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/9LN	POLISHED NATURAL BRASS
PT7815A/9SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/9SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/9SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/9LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/9VM	OLD IRON BRASS



Model PT7815A/10

AUDIO BRASS PANEL 10 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7815A/10LN	POLISHED NATURAL BRASS
PT7815A/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7815A/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7815A/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7815A/10VM	OLD IRON BRASS

URMET

LINE 7825A

Line 7825A consists of audio brass panels in 2 rows that can be used on almost all systems. In fact the 7825A is compatible with following loudspeakers: 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

7825A panels can be mounted on 2 KOMBI or SINTHESI embedding boxes joined together and include white LED backlight for each nameplate.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 7825A panels in all shapes, finishing and colours.

1072/19A, 1035/67, 1038/62 loudspeakers are mounted directly on the frame installed behind the panel.

1128/500 and 1082/101 loudspeaker are mounted inside the embedding box using the plastic support that is connected to the frame installed behind the panel. To optimize the audio quality, the microphone is mounted on a specific support to connect to the frame installed behind the panel.

LINE 7825A – AUDIO BRASS PANELS 2 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT7825A/xLN	PT7825A/xSO	PT7825A/xLO	PT7825A/xSB	PT7825A/xSF	PT7825A/xSA	PT7825A/xLA	PT7825A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT7825A/7

AUDIO BRASS PANEL 7 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 2 modules each, joined together
Front panel dimensions: width = 264 mm – height = 280 mm
Embedding box dimensions: width = 244 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/7LN	POLISHED NATURAL BRASS
PT7825A/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/7VM	OLD IRON BRASS



Model PT7825A/8

AUDIO BRASS PANEL 8 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 2 modules each, joined together
Front panel dimensions: width = 264 mm – height = 280 mm
Embedding box dimensions: width = 244 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/8LN	POLISHED NATURAL BRASS
PT7825A/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/8VM	OLD IRON BRASS



Model PT7825A/9

AUDIO BRASS PANEL 9 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/9LN	POLISHED NATURAL BRASS
PT7825A/9SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/9SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/9SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/9LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/9VM	OLD IRON BRASS



Model PT7825A/10

AUDIO BRASS PANEL 10 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/10LN	POLISHED NATURAL BRASS
PT7825A/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/10VM	OLD IRON BRASS



Model PT7825A/11

AUDIO BRASS PANEL 11 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/11LN	POLISHED NATURAL BRASS
PT7825A/11SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/11SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/11SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/11VM	OLD IRON BRASS



Model PT7825A/12

AUDIO BRASS PANEL 12 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/12LN	POLISHED NATURAL BRASS
PT7825A/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/12VM	OLD IRON BRASS



Model PT7825A/13

AUDIO BRASS PANEL 13 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/13LN	POLISHED NATURAL BRASS
PT7825A/13SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/13SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/13SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/13LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/13VM	OLD IRON BRASS



Model PT7825A/14

AUDIO BRASS PANEL 14 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/14LN	POLISHED NATURAL BRASS
PT7825A/14SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/14SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/14SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/14LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/14VM	OLD IRON BRASS



Model PT7825A/15

AUDIO BRASS PANEL 15 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/15LN	POLISHED NATURAL BRASS
PT7825A/15SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/15SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/15SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/15LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/15VM	OLD IRON BRASS



Model PT7825A/16

AUDIO BRASS PANEL 16 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/16LN	POLISHED NATURAL BRASS
PT7825A/16SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/16SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/16SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/16LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/16VM	OLD IRON BRASS



Model PT7825A/17

AUDIO BRASS PANEL 17 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/17LN	POLISHED NATURAL BRASS
PT7825A/17SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/17SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/17SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/17LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/17VM	OLD IRON BRASS



Model PT7825A/18

AUDIO BRASS PANEL 18 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/18LN	POLISHED NATURAL BRASS
PT7825A/18SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/18SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/18SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/18LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/18VM	OLD IRON BRASS



Model PT7825A/19

AUDIO BRASS PANEL 19 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/19LN	POLISHED NATURAL BRASS
PT7825A/19SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/19SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/19SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/19LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/19VM	OLD IRON BRASS



Model PT7825A/20

AUDIO BRASS PANEL 20 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/20LN	POLISHED NATURAL BRASS
PT7825A/20SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/20SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/20SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/20LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/20VM	OLD IRON BRASS



Model PT7825A/21

AUDIO BRASS PANEL 21 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/21LN	POLISHED NATURAL BRASS
PT7825A/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT7825A/21SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7825A/21SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/21SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/21SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/21VM	OLD IRON BRASS



Model PT7825A/22

AUDIO BRASS PANEL 22 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/22LN	POLISHED NATURAL BRASS
PT7825A/22LO	POLISHED BRASS COLOUR WITH **PVD**
PT7825A/22SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7825A/22SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/22SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/22SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/22LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/22VM	OLD IRON BRASS



Model PT7825A/23

AUDIO BRASS PANEL 23 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/23LN	POLISHED NATURAL BRASS
PT7825A/23LO	POLISHED BRASS COLOUR WITH **PVD**
PT7825A/23SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7825A/23SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/23SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/23SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/23LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/23VM	OLD IRON BRASS



Model PT7825A/24

AUDIO BRASS PANEL 24 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/24LN	POLISHED NATURAL BRASS
PT7825A/24LO	POLISHED BRASS COLOUR WITH **PVD**
PT7825A/24SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7825A/24SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/24SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/24SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/24LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/24VM	OLD IRON BRASS



Model PT7825A/25

AUDIO BRASS PANEL 25 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/25LN	POLISHED NATURAL BRASS
PT7825A/25LO	POLISHED BRASS COLOUR WITH **PVD**
PT7825A/25SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7825A/25SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/25SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/25SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/25LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/25VM	OLD IRON BRASS



Model PT7825A/26

AUDIO BRASS PANEL 26 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT7825A/26LN	POLISHED NATURAL BRASS
PT7825A/26LO	POLISHED BRASS COLOUR WITH **PVD**
PT7825A/26SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7825A/26SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7825A/26SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7825A/26SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/26LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7825A/26VM	OLD IRON BRASS

URMET
URMET
URMET
URMET
URMET
URMET
URMET
urmet

LINE 1815A

Line 1815A is the video door phone version of Line 7815A and it consists of video brass panels in 1 row that can be used on almost all systems. In fact the 1815A is compatible with COLOUR camera 1810/40 or 1810/70 (B/W) and with following loudspeakers: 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

1815A panels can be mounted on KOMBI or SINTHESI embedding boxes and include white LED backlight for each nameplate.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 1815A panels in all shapes, finishing and colours.

LINE 1815A – VIDEO BRASS PANELS 1 ROW COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 AND CAMERA 1810/70 OR 1810/40 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT1815A/xLN	PT1815A/xSB	PT1815A/xSF	PT1815A/xSA	PT1815A/xLA	PT1815A/xVM
PVD protection		☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑					
Natural brass nameplates	☑					
PVD treatment on brass buttons		☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑

Mounting is very easy, like plug and play. Just put the loudspeaker on the frame already mounted behind the panel. Then plug the camera on the specific camera frame behind the panel as well. So the camera can be easily removed for repairing.

Another example of plug and play is the camera support that allows to change camera orientation to achieve the best video quality.



Model PT1815A/1

VIDEO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1815A/1LN	POLISHED NATURAL BRASS
PT1815A/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1815A/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1815A/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/1VM	OLD IRON BRASS



Model PT1815A/2

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1815A/2LN	POLISHED NATURAL BRASS
PT1815A/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1815A/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1815A/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/2VM	OLD IRON BRASS



Model PT1815A/3

VIDEO BRASS PANEL 3 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1815A/3LN	POLISHED NATURAL BRASS
PT1815A/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1815A/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1815A/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/3VM	OLD IRON BRASS



Model PT1815A/4

VIDEO BRASS PANEL 4 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1815A/4LN	POLISHED NATURAL BRASS
PT1815A/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1815A/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1815A/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/4VM	OLD IRON BRASS



Model PT1815A/5

VIDEO BRASS PANEL 5 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1815A/5LN	POLISHED NATURAL BRASS
PT1815A/5SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1815A/5SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1815A/5SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/5LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/5VM	OLD IRON BRASS



Model PT1815A/6

VIDEO BRASS PANEL 6 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1815A/6LN	POLISHED NATURAL BRASS
PT1815A/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1815A/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1815A/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1815A/6VM	OLD IRON BRASS

LINE 1825A

Line 1825A is the video door phone version of Line 7825A and it consists of video brass panels in 2 rows that can be used on almost all systems. In fact the 1825A is compatible with COLOUR camera 1810/40 or 1810/70 (B/W) and with following loudspeakers: 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

1825A panels can be mounted on 2 KOMBI or SINTHESI embedding boxes joined together and include white LED backlight for each nameplate.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 1825A panels in all shapes, finishing and colours.

LINE 1825A – VIDEO BRASS PANELS 2 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT1825A/xLN	PT1825A/xSO	PT1825A/xLO	PT1825A/xSB	PT1825A/xSF	PT1825A/xSA	PT1825A/xLA	PT1825A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT1825A/7

VIDEO BRASS PANEL 7 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/7LN	POLISHED NATURAL BRASS
PT1825A/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/7VM	OLD IRON BRASS



Model PT1825A/8

VIDEO BRASS PANEL 8 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/8LN	POLISHED NATURAL BRASS
PT1825A/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/8VM	OLD IRON BRASS



Model PT1825A/9

VIDEO BRASS PANEL 9 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/9LN	POLISHED NATURAL BRASS
PT1825A/9SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/9SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/9SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/9LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/9VM	OLD IRON BRASS



Model PT1825A/10

VIDEO BRASS PANEL 10 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/10LN	POLISHED NATURAL BRASS
PT1825A/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/10VM	OLD IRON BRASS



Model PT1825A/11

VIDEO BRASS PANEL 11 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/11LN	POLISHED NATURAL BRASS
PT1825A/11SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/11SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/11SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/11VM	OLD IRON BRASS



Model PT1825A/12

VIDEO BRASS PANEL 12 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 3 modules each, joined together
Front panel dimensions: width = 264 mm – height = 370 mm
Embedding box dimensions: width = 244 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/12LN	POLISHED NATURAL BRASS
PT1825A/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/12VM	OLD IRON BRASS



Model PT1825A/13

VIDEO BRASS PANEL 13 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/13LN	POLISHED NATURAL BRASS
PT1825A/13SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/13SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/13SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/13LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/13VM	OLD IRON BRASS



Model PT1825A/14

VIDEO BRASS PANEL 14 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/14LN	POLISHED NATURAL BRASS
PT1825A/14SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/14SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/14SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/14LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/14VM	OLD IRON BRASS



Model PT1825A/15

VIDEO BRASS PANEL 15 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/15LN	POLISHED NATURAL BRASS
PT1825A/15SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/15SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/15SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/15LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/15VM	OLD IRON BRASS



Model PT1825A/16

VIDEO BRASS PANEL 16 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/16LN	POLISHED NATURAL BRASS
PT1825A/16SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/16SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/16SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/16LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/16VM	OLD IRON BRASS



Model PT1825A/17

VIDEO BRASS PANEL 17 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/17LN	POLISHED NATURAL BRASS
PT1825A/17SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/17SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/17SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/17LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/17VM	OLD IRON BRASS



Model PT1825A/18

VIDEO BRASS PANEL 18 BUTTONS ON 2 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/18LN	POLISHED NATURAL BRASS
PT1825A/18SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/18SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/18SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/18LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/18VM	OLD IRON BRASS



Model PT1825A/19

VIDEO BRASS PANEL 19 BUTTONS ON 3 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/19LN	POLISHED NATURAL BRASS
PT1825A/19SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/19SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/19SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/19LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/19VM	OLD IRON BRASS



Model PT1825A/20

VIDEO BRASS PANEL 20 BUTTONS ON 3 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/20LN	POLISHED NATURAL BRASS
PT1825A/20SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/20SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/20SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/20LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/20VM	OLD IRON BRASS



Model PT1825A/21

VIDEO BRASS PANEL 21 BUTTONS ON 3 ROWS
Embedding box type: Two Sinthesi embedding boxes, 4 modules each, joined together
Front panel dimensions: width = 264 mm – height = 460 mm
Embedding box dimensions: width = 244 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT1825A/21LN	POLISHED NATURAL BRASS
PT1825A/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT1825A/21SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1825A/21SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1825A/21SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1825A/21SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1825A/21VM	OLD IRON BRASS

LINE 5182

Line 5182 consists of audio brass panels 1 row and integrate on board the 2GO! Loudspeaker 1082/7 and expansion module 1038/17 and can be installed on embedding boxes KOMBI or SINTHESI.

Main advantage of Line 5182 is to offer extremely integrated solutions and, on demand, to integrate on board the 2GO! module already bought by customer.

5182 panels can be mounted on KOMBI or SINTHESI embedding boxes and include white LED backlight for each nameplate.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 5182 panels in all shapes, finishing and colours.

With Line 5182, 2GO! audio brass panel up to 12 buttons on 1 row is possible.

LINE 5182 – SPECIAL AUDIO BRASS PANELS 1 ROW INTEGRATING 2GO! AUDIO MODULE 1082/7 AND EXTENSION MODULE 1038/17 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT5182/xLN	PT5182/xSO	PT5182/xLO	PT5182/xSB	PT5182/xSF	PT5182/xSA	PT5182/xLA	PT5182/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
2GO! Audio Module 1082/7	☑	☑	☑	☑	☑	☑	☑	☑
Extension Module 1038/17	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT5182/1

2GO! AUDIO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/1LN	POLISHED NATURAL BRASS
PT5182/1SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/1LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/1VM	OLD IRON BRASS



Model PT5182/2

2GO! AUDIO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/2LN	POLISHED NATURAL BRASS
PT5182/2SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/2LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/2VM	OLD IRON BRASS



Model PT5182/3

2GO! AUDIO BRASS PANEL 3 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/3LN	POLISHED NATURAL BRASS
PT5182/3SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/3LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/3VM	OLD IRON BRASS



Model PT5182/4

2GO! AUDIO BRASS PANEL 4 BUTTONS ON 1 ROW
Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 270 mm
Embedding box dimensions: width = 118 mm – height = 204 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/4LN	POLISHED NATURAL BRASS
PT5182/4SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/4LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/4VM	OLD IRON BRASS



Model PT5182/5

2GO! AUDIO BRASS PANEL 5 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/5LN	POLISHED NATURAL BRASS
PT5182/5SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/5LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/5SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/5SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/5SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/5LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/5VM	OLD IRON BRASS



Model PT5182/6

2GO! AUDIO BRASS PANEL 6 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/6LN	POLISHED NATURAL BRASS
PT5182/6SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/6LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/6VM	OLD IRON BRASS



Model PT5182/7

2GO! AUDIO BRASS PANEL 7 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/7LN	POLISHED NATURAL BRASS
PT5182/7SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/7LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/7VM	OLD IRON BRASS



Model PT5182/8

2GO! AUDIO BRASS PANEL 8 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/8LN	POLISHED NATURAL BRASS
PT5182/8SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/8LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/8VM	OLD IRON BRASS



Model PT5182/9

2GO! AUDIO BRASS PANEL 9 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/9LN	POLISHED NATURAL BRASS
PT5182/9SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/9LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/9SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/9SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/9SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/9LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/9VM	OLD IRON BRASS



Model PT5182/10

2GO! AUDIO BRASS PANEL 10 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/10LN	POLISHED NATURAL BRASS
PT5182/10SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/10VM	OLD IRON BRASS



Model PT5182/11

2GO! AUDIO BRASS PANEL 11 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/11LN	POLISHED NATURAL BRASS
PT5182/11SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/11SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/11SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/11SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/11VM	OLD IRON BRASS



Model PT5182/12

2GO! AUDIO BRASS PANEL 12 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5182/12LN	POLISHED NATURAL BRASS
PT5182/12SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5182/12LO	POLISHED BRASS COLOUR WITH **PVD**
PT5182/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5182/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5182/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5182/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5182/12VM	OLD IRON BRASS

Hotel Mazzoleni

LINE 5082

Line 5082 consists of video brass panels 1 row and integrate on board the 2GO! Video module 1082/72 and expansion module 1038/17 and can be installed on embedding boxes KOMBI or SINTHESI.

With Line 5082 which is the video door phone version of Line 5182 is possible to have extremely integrated brass panel integrating 2GO! video module.

On demand, it is possible to integrate on board the 2GO! module already bought by customer.

5082 panels can be mounted on KOMBI or SINTHESI embedding boxes and include white LED backlight for each nameplate.

Always on demand Prodel supplies 5082 panels in all shapes, finishing and colours.

LINE 5082 – SPECIAL VIDEO BRASS PANELS 1 ROW INTEGRATING 2GO! VIDEO MODULE 1082/72 AND EXTENSION MODULE 1038/17 FOR KOMBI/SINTHESI EMBEDDING BOX

	PT5082/xLN	PT5082/xSO	PT5082/xLO	PT5082/xSB	PT5082/xSF	PT5082/xSA	PT5082/xLA	PT5082/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
2GO! Video Module 1082/72	☑	☑	☑	☑	☑	☑	☑	☑
Extension Module 1038/17	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

With Line 5082, 2GO! video brass panel up to 8 buttons on 1 row is possible.



Model PT5082/1

2GO! VIDEO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/1LN	POLISHED NATURAL BRASS
PT5082/1SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/1LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/1VM	OLD IRON BRASS



Model PT5082/2

2GO! VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/2LN	POLISHED NATURAL BRASS
PT5082/2SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/2LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/2VM	OLD IRON BRASS



Model PT5082/3

2GO! VIDEO BRASS PANEL 3 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/3LN	POLISHED NATURAL BRASS
PT5082/3SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/3LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/3VM	OLD IRON BRASS



Model PT5082/4

2GO! VIDEO BRASS PANEL 4 BUTTONS ON 1 ROW
Embedding box type: 3 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 360 mm
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/4LN	POLISHED NATURAL BRASS
PT5082/4SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/4LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/4VM	OLD IRON BRASS



Model PT5082/5

2GO! VIDEO BRASS PANEL 5 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/5LN	POLISHED NATURAL BRASS
PT5082/5SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/5LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/5SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/5SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/5SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/5LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/5VM	OLD IRON BRASS



Model PT5082/6

2GO! VIDEO BRASS PANEL 6 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/6LN	POLISHED NATURAL BRASS
PT5082/6SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/6LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/6VM	OLD IRON BRASS



Model PT5082/7

2GO! VIDEO BRASS PANEL 7 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/7LN	POLISHED NATURAL BRASS
PT5082/7SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/7LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/7VM	OLD IRON BRASS



Model PT5082/8

2GO! VIDEO BRASS PANEL 8 BUTTONS ON 1 ROW
Embedding box type: 4 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 450 mm
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT5082/8LN	POLISHED NATURAL BRASS
PT5082/8SO	BRUSHED BRASS COLOUR WITH **PVD**
PT5082/8LO	POLISHED BRASS COLOUR WITH **PVD**
PT5082/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT5082/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT5082/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT5082/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT5082/8VM	OLD IRON BRASS

LINE 7881

Line 7881 consists of audio brass panels in 1 row that can be used with loudspeaker for 4+N system like 5150/500 or 1128/500.

7881 panels can be mounted on 625 embedding boxes and include white LED backlight for each nameplate.

Always on demand Prodel supplies 7881 panels in all shapes, finishing and colours.



LINE 7881 – AUDIO BRASS PANELS 1 ROW COMPATIBLE WITH LOUDSPEAKER 5150/500 O 1128/500 WITH 625 EMBEDDING BOX

	PT7881/xLN	PT7881/xSO	PT7881/xLO	PT7881/xSB	PT7881/xSF	PT7881/xSA	PT7881/xLA	PT7881/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

The loudspeaker is mounted directly inside embedding box fixing the module on the support.



Model PT7881/1

AUDIO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 108 mm – height = 285 mm
Embedding box dimensions: width = 95 mm – height = 220 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7881/1LN	POLISHED NATURAL BRASS
PT7881/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881/1VM	OLD IRON BRASS



Model PT7881/2

AUDIO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 108 mm – height = 285 mm
Embedding box dimensions: width = 95 mm – height = 220 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7881/2LN	POLISHED NATURAL BRASS
PT7881/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881/2VM	OLD IRON BRASS

LINE 7881A

Line 7881A consists of audio brass panels in 1 row that can be used on almost all systems. In fact the 7881A is compatible with following loudspeakers: 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

7881A panels are mounted on 625 embedding boxes and include white LED backlight for each nameplate.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 7881A panels in all shapes, finishing and colours.

LINE 7881A – AUDIO BRASS PANELS 1 ROW COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 WITH 625 EMBEDDING BOX

	PT7881A/xLN	PT7881A/xSO	PT7881A/xLO	PT7881A/xSB	PT7881A/xSF	PT7881A/xSA	PT7881A/xLA	PT7881A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

The loudspeaker 1128/500, 1082/101, 1072/19A, 1035/67, 1038/62 can be mounted directly inside embedding box fixing the module on the support.



Model PT7881A/3

AUDIO BRASS PANEL 3 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 326 mm
Embedding box dimensions: width = 113 mm – height = 260 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/3LN	POLISHED NATURAL BRASS
PT7881A/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/3VM	OLD IRON BRASS



Model PT7881A/4

AUDIO BRASS PANEL 4 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 354 mm
Embedding box dimensions: width = 113 mm – height = 288 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/4LN	POLISHED NATURAL BRASS
PT7881A/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/4VM	OLD IRON BRASS



Model PT7881A/5

AUDIO BRASS PANEL 5 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 382 mm
Embedding box dimensions: width = 113 mm – height = 316 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/5LN	POLISHED NATURAL BRASS
PT7881A/5SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/5SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/5SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/5LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/5VM	OLD IRON BRASS



Model PT7881A/6

AUDIO BRASS PANEL 6 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 410 mm
Embedding box dimensions: width = 113 mm – height = 344 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/6LN	POLISHED NATURAL BRASS
PT7881A/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/6VM	OLD IRON BRASS



Model PT7881A/7

AUDIO BRASS PANEL 7 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 438 mm
Embedding box dimensions: width = 113 mm – height = 372 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/7LN	POLISHED NATURAL BRASS
PT7881A/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/7VM	OLD IRON BRASS



Model PT7881A/8

AUDIO BRASS PANEL 8 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 466 mm
Embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/8LN	POLISHED NATURAL BRASS
PT7881A/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/8VM	OLD IRON BRASS

Model PT7881A/9

AUDIO BRASS PANEL 9 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 494 mm
Embedding box dimensions: width = 113 mm – height = 428 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/9LN	POLISHED NATURAL BRASS
PT7881A/9SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/9SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/9SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/9LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/9VM	OLD IRON BRASS

Model PT7881A/10

AUDIO BRASS PANEL 10 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 522 mm
Embedding box dimensions: width = 113 mm – height = 456 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT7881A/10LN	POLISHED NATURAL BRASS
PT7881A/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7881A/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7881A/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7881A/10VM	OLD IRON BRASS

LINE 7882A

Line 7882A consists of audio brass panels on 2 rows that can be used on almost all systems. In fact the 7882A is compatible with following loudspeakers: 1128/500 and 5150/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

Line 7882A represents 2 rows version of Line 7881A thus, the panels are mounted on 625 embedding boxes and white LEDs backlight for each nameplates are also included.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 7882A panels in all shapes, finishing and colours.

LINE 7882A – AUDIO BRASS PANELS 2 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 5150/500, 1128/500, 1038/62, 1072/19A, 1082/101 WITH 625 EMBEDDING BOX

	PT7882A/xLN	PT7882A/xSO	PT7882A/xLO	PT7882A/xSB	PT7882A/xSF	PT7882A/xSA	PT7882A/xLA	PT7882A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

Main advantage of 7882A panels is to use 625 embedding boxes. So all the connections with the system are left on the back of embedding box. On the panel the buttons are pushbuttons.

Thus, when the front panel is unplugged to change nameplate or for any operation, all the connections are inside the box and the panel can be easily unplugged.



Model PT7882A/4

AUDIO BRASS PANEL 4 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 299 mm
Embedding box dimensions: width = 190 mm – height = 228 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/4LN	POLISHED NATURAL BRASS
PT7882A/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/4VM	OLD IRON BRASS



Model PT7882A/6

AUDIO BRASS PANEL 6 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 299 mm
Embedding box dimensions: width = 190 mm – height = 228 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/6LN	POLISHED NATURAL BRASS
PT7882A/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/6VM	OLD IRON BRASS



Model PT7882A/8

AUDIO BRASS PANEL 8 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 364 mm
Embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/8LN	POLISHED NATURAL BRASS
PT7882A/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/8VM	OLD IRON BRASS



Model PT7882A/10

AUDIO BRASS PANEL 10 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 364 mm
Embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/10LN	POLISHED NATURAL BRASS
PT7882A/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/10VM	OLD IRON BRASS



Model PT7882A/12

AUDIO BRASS PANEL 12 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 392 mm
Embedding box dimensions: width = 190 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/12LN	POLISHED NATURAL BRASS
PT7882A/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/12VM	OLD IRON BRASS



Model PT7882A/14

AUDIO BRASS PANEL 14 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 420 mm
Embedding box dimensions: width = 190 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/14LN	POLISHED NATURAL BRASS
PT7882A/14SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/14SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/14SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/14LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/14VM	OLD IRON BRASS



Model PT7882A/16

AUDIO BRASS PANEL 16 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 448 mm
Embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/16LN	POLISHED NATURAL BRASS
PT7882A/16SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/16SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/16SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/16LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/16VM	OLD IRON BRASS



Model PT7882A/18

AUDIO BRASS PANEL 18 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 476 mm
Embedding box dimensions: width = 190 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/18LN	POLISHED NATURAL BRASS
PT7882A/18SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/18SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/18SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/18LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/18VM	OLD IRON BRASS



Model PT7882A/20

AUDIO BRASS PANEL 20 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 504 mm
Embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/20LN	POLISHED NATURAL BRASS
PT7882A/20SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/20SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/20SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/20LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/20VM	OLD IRON BRASS



Model PT7882A/22

AUDIO BRASS PANEL 22 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 532 mm
Embedding box dimensions: width = 190 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/22LN	POLISHED NATURAL BRASS
PT7882A/22SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7882A/22LO	POLISHED BRASS COLOUR WITH **PVD**
PT7882A/22SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/22SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/22SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/22LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/22VM	OLD IRON BRASS



Model PT7882A/24

AUDIO BRASS PANEL 24 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 560 mm
Embedding box dimensions: width = 190 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/24LN	POLISHED NATURAL BRASS
PT7882A/24SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7882A/24LO	POLISHED BRASS COLOUR WITH **PVD**
PT7882A/24SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/24SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/24SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/24LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/24VM	OLD IRON BRASS



Model PT7882A/26

AUDIO BRASS PANEL 26 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 588 mm
Embedding box dimensions: width = 190 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/26LN	POLISHED NATURAL BRASS
PT7882A/26SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7882A/26LO	POLISHED BRASS COLOUR WITH **PVD**
PT7882A/26SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/26SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/26SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/26LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/26VM	OLD IRON BRASS



Model PT7882A/28

AUDIO BRASS PANEL 28 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 600 mm
Embedding box dimensions: width = 190 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/28LN	POLISHED NATURAL BRASS
PT7882A/28SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7882A/28LO	POLISHED BRASS COLOUR WITH **PVD**
PT7882A/28SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/28SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/28SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/28LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/28VM	OLD IRON BRASS



Model PT7882A/30

AUDIO BRASS PANEL 30 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 600 mm
Embedding box dimensions: width = 190 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/30LN	POLISHED NATURAL BRASS
PT7882A/30SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7882A/30LO	POLISHED BRASS COLOUR WITH **PVD**
PT7882A/30SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/30SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/30SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/30LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/30VM	OLD IRON BRASS

LINE 7883A

Line 7883A consists of audio brass panels on 3 rows that can be used on almost all systems. In fact the 7883A is compatible with following loudspeakers: 1128/500 and 5150/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

Line 7883A represents 3 rows version of Line 7881A thus, the panels are mounted on 625 embedding boxes and white LEDs backlight for each nameplates are also included.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 7882A panels in all shapes, finishing and colours.

Embedding box of 7883A are compatible with old 625 embedding box (code 7703).

Like all others brass panels made on original 625 embedding, also the 7883A can be used to replace old aluminium panel with new brass panel without any change on the system.

White LED backlight for each nameplate offer great comfort to customers that can enjoy of LED backlight to increase reliability and decrease power consumption.

LINE 7883A – AUDIO BRASS PANELS 3 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 5150/500, 1128/500, 1038/62, 1072/19A, 1082/101 WITH 625 EMBEDDING BOX

	PT7883A/xLN	PT7883A/xSO	PT7883A/xLO	PT7883A/xSB	PT7883A/xSF	PT7883A/xSA	PT7883A/xLA	PT7883A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT7883A/21

AUDIO BRASS PANEL 21 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 440 mm
Embedding box dimensions: width = 290 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7883A/21LN	POLISHED NATURAL BRASS
PT7883A/21SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7883A/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT7883A/21SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7883A/21SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7883A/21SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/21VM	OLD IRON BRASS



Model PT7883A/24

AUDIO BRASS PANEL 24 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 468 mm
Embedding box dimensions: width = 290 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7883A/24LN	POLISHED NATURAL BRASS
PT7883A/24SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7883A/24LO	POLISHED BRASS COLOUR WITH **PVD**
PT7883A/24SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7883A/24SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7883A/24SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/24LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/24VM	OLD IRON BRASS



Model PT7883A/27

AUDIO BRASS PANEL 27 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 496 mm
Embedding box dimensions: width = 290 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7883A/27LN	POLISHED NATURAL BRASS
PT7883A/27SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7883A/27LO	POLISHED BRASS COLOUR WITH **PVD**
PT7883A/27SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7883A/27SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7883A/27SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/27LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/27VM	OLD IRON BRASS



Model PT7883A/30

AUDIO BRASS PANEL 30 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 524 mm
Embedding box dimensions: width = 290 mm – height = 425 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7883A/30LN	POLISHED NATURAL BRASS
PT7883A/30SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7883A/30LO	POLISHED BRASS COLOUR WITH **PVD**
PT7883A/30SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7883A/30SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7883A/30SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/30LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/30VM	OLD IRON BRASS



Model PT7883A/33

AUDIO BRASS PANEL 33 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 552 mm
Embedding box dimensions: width = 290 mm – height = 453 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7883A/33LN	POLISHED NATURAL BRASS
PT7883A/33SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7883A/33LO	POLISHED BRASS COLOUR WITH **PVD**
PT7883A/33SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7883A/33SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7883A/33SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/33LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/33VM	OLD IRON BRASS



Model PT7883A/36

AUDIO BRASS PANEL 36 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 580 mm
Embedding box dimensions: width = 290 mm – height = 481 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7883A/36LN	POLISHED NATURAL BRASS
PT7883A/36SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7883A/36LO	POLISHED BRASS COLOUR WITH **PVD**
PT7883A/36SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7883A/36SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7883A/36SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/36LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/36VM	OLD IRON BRASS



Model PT7883A/39

AUDIO BRASS PANEL 39 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 599 mm
Embedding box dimensions: width = 290 mm – height = 509 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7883A/39LN	POLISHED NATURAL BRASS
PT7883A/39SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7883A/39LO	POLISHED BRASS COLOUR WITH **PVD**
PT7883A/39SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7883A/39SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7883A/39SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/39LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7883A/39VM	OLD IRON BRASS

LINE 7884A

Line 7884A consists of audio brass panels on 4 rows that can be used on almost all systems. In fact the 7884A is compatible with following loudspeakers: 1128/500 and 5150/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

Line 7884A represents 4 rows version of Line 7881A thus, the panels are mounted on two 625 embedding boxes joined together and white LEDs backlight for each nameplates are also included.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 7884A panels in all shapes, finishing and colours.

Embedding box of 7884A are NOT compatible with old 625 embedding box (code 7704), therefore 7884A panels used special embedding boxes.

White LED backlight for each nameplate offer great comfort to customers that can enjoy of LED backlight to increase reliability and decrease power consumption.

LINE 7884A – AUDIO BRASS PANELS 4 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 5150/500, 1128/500, 1038/62, 1072/19A, 1082/101 WITH TWO 625 EMBEDDING BOXES HORIZONTALLY COUPLED

	PT7884A/xLN	PT7884A/xSO	PT7884A/xLO	PT7884A/xSB	PT7884A/xSF	PT7884A/xSA	PT7884A/xLA	PT7884A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT7884A/30

AUDIO BRASS PANEL 30 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 432 mm
Embedding box dimensions: width = 380 mm – height = 314 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/30LN	POLISHED NATURAL BRASS
PT7884A/30SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/30LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/30SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/30SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/30SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/30LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/30VM	OLD IRON BRASS



Model PT7884A/32

AUDIO BRASS PANEL 32 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 432 mm
Embedding box dimensions: width = 380 mm – height = 314 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/32LN	POLISHED NATURAL BRASS
PT7884A/32SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/32LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/32SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/32SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/32SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/32LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/32VM	OLD IRON BRASS



Model PT7884A/34

AUDIO BRASS PANEL 34 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 460 mm
Embedding box dimensions: width = 380 mm – height = 342 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/34LN	POLISHED NATURAL BRASS
PT7884A/34SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/34LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/34SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/34SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/34SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/34LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/34VM	OLD IRON BRASS



Model PT7884A/36

AUDIO BRASS PANEL 36 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 460 mm
Embedding box dimensions: width = 380 mm – height = 342 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/36LN	POLISHED NATURAL BRASS
PT7884A/36SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/36LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/36SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/36SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/36SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/36LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/36VM	OLD IRON BRASS



Model PT7884A/38

AUDIO BRASS PANEL 38 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 488 mm
Embedding box dimensions: width = 380 mm – height = 370 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/38LN	POLISHED NATURAL BRASS
PT7884A/38SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/38LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/38SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/38SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/38SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/38LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/38VM	OLD IRON BRASS



Model PT7884A/40

AUDIO BRASS PANEL 40 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 488 mm
Embedding box dimensions: width = 380 mm – height = 370 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/40LN	POLISHED NATURAL BRASS
PT7884A/40SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/40LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/40SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/40SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/40SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/40LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/40VM	OLD IRON BRASS



Model PT7884A/42

AUDIO BRASS PANEL 42 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 516 mm
Embedding box dimensions: width = 380 mm – height = 398 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/42LN	POLISHED NATURAL BRASS
PT7884A/42SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/42LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/42SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/42SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/42SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/42LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/42VM	OLD IRON BRASS



Model PT7884A/44

AUDIO BRASS PANEL 44 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 516 mm
Embedding box dimensions: width = 380 mm – height = 398 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/44LN	POLISHED NATURAL BRASS
PT7884A/44SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/44LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/44SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/44SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/44SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/44LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/44VM	OLD IRON BRASS



Model PT7884A/46

AUDIO BRASS PANEL 46 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 544 mm
Embedding box dimensions: width = 380 mm – height = 426 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/46LN	POLISHED NATURAL BRASS
PT7884A/46SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/46LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/46SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/46SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/46SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/46LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/46VM	OLD IRON BRASS



Model PT7884A/48

AUDIO BRASS PANEL 48 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 544 mm
Embedding box dimensions: width = 380 mm – height = 426 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/48LN	POLISHED NATURAL BRASS
PT7884A/48SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/48LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/48SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/48SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/48SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/48LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/48VM	OLD IRON BRASS



Model PT7884A/50

AUDIO BRASS PANEL 50 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 572 mm
Embedding box dimensions: width = 380 mm – height = 454 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/50LN	POLISHED NATURAL BRASS
PT7884A/50SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/50LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/50SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/50SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/50SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/50LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/50VM	OLD IRON BRASS



Model PT7884A/52

AUDIO BRASS PANEL 52 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 572 mm
Embedding box dimensions: width = 380 mm – height = 454 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/52LN	POLISHED NATURAL BRASS
PT7884A/52SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/52LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/52SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/52SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/52SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/52LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/52VM	OLD IRON BRASS



Model PT7884A/54

AUDIO BRASS PANEL 54 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 600 mm
Embedding box dimensions: width = 380 mm – height = 482 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/54LN	POLISHED NATURAL BRASS
PT7884A/54SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/54LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/54SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/54SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/54SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/54LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/54VM	OLD IRON BRASS



Model PT7884A/56

AUDIO BRASS PANEL 56 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 600 mm
Embedding box dimensions: width = 380 mm – height = 482 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/56LN	POLISHED NATURAL BRASS
PT7884A/56SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/56LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/56SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/56SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/56SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/56LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/56VM	OLD IRON BRASS



Model PT7884A/58

AUDIO BRASS PANEL 58 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 628 mm
Embedding box dimensions: width = 380 mm – height = 510 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/58LN	POLISHED NATURAL BRASS
PT7884A/58SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/58LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/58SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/58SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/58SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/58LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/58VM	OLD IRON BRASS



Model PT7884A/60

AUDIO BRASS PANEL 60 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 628 mm
Embedding box dimensions: width = 380 mm – height = 510 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/60LN	POLISHED NATURAL BRASS
PT7884A/60SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/60LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/60SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/60SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/60SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/60LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/60VM	OLD IRON BRASS



Model PT7884A/62

AUDIO BRASS PANEL 62 BUTTONS ON 4 ROWS

Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 656 mm
Embedding box dimensions: width = 380 mm – height = 538 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/62LN	POLISHED NATURAL BRASS
PT7884A/62SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/62LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/62SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/62SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/62SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/62LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/62VM	OLD IRON BRASS



Model PT7884A/64

AUDIO BRASS PANEL 64 BUTTONS ON 4 ROWS

Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 656 mm
Embedding box dimensions: width = 380 mm – height = 538 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7884A/64LN	POLISHED NATURAL BRASS
PT7884A/64SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7884A/64LO	POLISHED BRASS COLOUR WITH **PVD**
PT7884A/64SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7884A/64SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7884A/64SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/64LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7884A/64VM	OLD IRON BRASS

LINE 1810A

Line 1810A represents video door phone version of Line 7881A and it consists of video brass panels in 1 row for video systems using COLOUR camera 1810/40 or B/W camera 1810/70 and following loudspeakers 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

Line 1810A uses 625 embedding box model thus, electrical contacts are inside the embedding box. When the panel is removed, all the wires are connected to embedding box making a lot easier replacement of nametags or maintenance on electronic equipment.

In Line 1810A model buttons are called pushbuttons because they push on electrical contacts inside the embedding box. This is key advantage versus competition where in many cases all the wires are connected directly on each button behind the panel.

On demand Prodel supplies 1810A panels in all shapes, finishing and colours.

LINE 1810A – VIDEO BRASS PANEL1 ROW COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 AND CAMERA 1810/70 OR 1810/40 WITH 625 EMBEDDING BOX

	PT1810A/xLN	PT1810A/xSO	PT1810A/xLO	PT1810A/xSB	PT1810A/xSF	PT1810A/xSA	PT1810A/xLA	PT1810A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							☑
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑





Model PT1810A/1

VIDEO BRASS PANEL 1 BUTTON ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 354 mm
Embedding box dimensions: width = 113 mm – height = 288 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT1810A/1LN	POLISHED NATURAL BRASS
PT1810A/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1810A/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1810A/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/1VM	OLD IRON BRASS



Model PT1810A/2

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 382 mm
Embedding box dimensions: width = 113 mm – height = 316 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT1810A/2LN	POLISHED NATURAL BRASS
PT1810A/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1810A/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1810A/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/2VM	OLD IRON BRASS



Model PT1810A/3

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 410 mm
Embedding box dimensions: width = 113 mm – height = 344 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT1810A/3LN	POLISHED NATURAL BRASS
PT1810A/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1810A/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1810A/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/3VM	OLD IRON BRASS



Model PT1810A/4

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 438 mm
Embedding box dimensions: width = 113 mm – height = 372 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT1810A/4LN	POLISHED NATURAL BRASS
PT1810A/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1810A/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1810A/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/4VM	OLD IRON BRASS

Model PT1810A/5

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 466 mm
Embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT1810A/5LN	POLISHED NATURAL BRASS
PT1810A/5SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1810A/5SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1810A/5SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/5LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/5VM	OLD IRON BRASS

Model PT1810A/6

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 494 mm
Embedding box dimensions: width = 113 mm – height = 428 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT1810A/6LN	POLISHED NATURAL BRASS
PT1810A/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1810A/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1810A/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/6VM	OLD IRON BRASS

Model PT1810A/7

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 130 mm – height = 522 mm
Embedding box dimensions: width = 113 mm – height = 456 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT1810A/7LN	POLISHED NATURAL BRASS
PT1810A/7SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1810A/7SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1810A/7SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/7LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1810A/7VM	OLD IRON BRASS

LINE 1820A

Line 1820A is the video door phone version of audio brass panels 7882A line. So it consists of 2 rows brass panels compatible with COLOUR camera 1810/40 or B/W camera 1810/70 and following loudspeakers 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

Line 1820A uses 625 embedding box model thus, electrical contacts are inside the embedding box. When the panel is removed, all the wires are connected to embedding box making a lot easier replacement of nametags or maintenance on electronic equipment.

In Line 1820A model buttons are called pushbuttons because they push on electrical contacts inside the embedding box. This is key advantage versus competition where in many cases all the wires are connected directly on each button behind the panel.

LINE 1820A – VIDEO BRASS PANEL2 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 AND CAMERA 1810/70 OR 1810/40 WITH 625 EMBEDDING BOX

	PT1820A/xLN	PT1820A/xSO	PT1820A/xLO	PT1820A/xSB	PT1820A/xSF	PT1820A/xSA	PT1820A/xLA	PT1820A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑

Another key advantage of Special Prodel brass panels is that owners of audio panel 625 can upgrade with video door phone version of same number of buttons using the same embedding box.

Therefore no brick layering is needed.



Model PT1820A/4

VIDEO BRASS PANEL 4 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 392 mm
Embedding box dimensions: width = 190 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/4LN	POLISHED NATURAL BRASS
PT1820A/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/4VM	OLD IRON BRASS



Model PT1820A/6

VIDEO BRASS PANEL 6 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 392 mm
Embedding box dimensions: width = 190 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/6LN	POLISHED NATURAL BRASS
PT1820A/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/6VM	OLD IRON BRASS



Model PT1820A/8

VIDEO BRASS PANEL 8 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 420 mm
Embedding box dimensions: width = 190 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/8LN	POLISHED NATURAL BRASS
PT1820A/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/8VM	OLD IRON BRASS



Model PT1820A/10

VIDEO BRASS PANEL 10 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 448 mm
Embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/10LN	POLISHED NATURAL BRASS
PT1820A/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/10VM	OLD IRON BRASS



Model PT1820A/12

VIDEO BRASS PANEL 12 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 476 mm
Embedding box dimensions: width = 190 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/12LN	POLISHED NATURAL BRASS
PT1820A/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/12VM	OLD IRON BRASS



Model PT1820A/14

VIDEO BRASS PANEL 14 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 504 mm
Embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/14LN	POLISHED NATURAL BRASS
PT1820A/14SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/14SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/14SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/14LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/14VM	OLD IRON BRASS



Model PT1820A/16

VIDEO BRASS PANEL 16 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 532 mm
Embedding box dimensions: width = 190 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/16LN	POLISHED NATURAL BRASS
PT1820A/16SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/16SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/16SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/16LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/16VM	OLD IRON BRASS



Model PT1820A/18

VIDEO BRASS PANEL 18 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 560 mm
Embedding box dimensions: width = 190 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/18LN	POLISHED NATURAL BRASS
PT1820A/18SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/18SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/18SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/18LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/18VM	OLD IRON BRASS



Model PT1820A/20

VIDEO BRASS PANEL 20 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 588 mm
Embedding box dimensions: width = 190 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/20LN	POLISHED NATURAL BRASS
PT1820A/20SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/20SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/20SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/20LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/20VM	OLD IRON BRASS



Model PT1820A/22

VIDEO BRASS PANEL 22 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 560 mm
Embedding box dimensions: width = 190 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/22LN	POLISHED NATURAL BRASS
PT1820A/22SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1820A/22LO	POLISHED BRASS COLOUR WITH **PVD**
PT1820A/22SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/22SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/22SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/22LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/22VM	OLD IRON BRASS



Model PT1820A/24

VIDEO BRASS PANEL 24 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 588 mm
Embedding box dimensions: width = 190 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/24LN	POLISHED NATURAL BRASS
PT1820A/24SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1820A/24LO	POLISHED BRASS COLOUR WITH **PVD**
PT1820A/24SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/24SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/24SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/24LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/24VM	OLD IRON BRASS



Model PT1820A/26

VIDEO BRASS PANEL 26 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 600 mm
Embedding box dimensions: width = 190 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/26LN	POLISHED NATURAL BRASS
PT1820A/26SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1820A/26LO	POLISHED BRASS COLOUR WITH **PVD**
PT1820A/26SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/26SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/26SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/26LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/26VM	OLD IRON BRASS



Model PT1820A/28

VIDEO BRASS PANEL 28 BUTTONS ON 2 ROWS
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 600 mm
Embedding box dimensions: width = 190 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/28LN	POLISHED NATURAL BRASS
PT1820A/28SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1820A/28LO	POLISHED BRASS COLOUR WITH **PVD**
PT1820A/28SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/28SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/28SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/28LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/28VM	OLD IRON BRASS

LINE 1830A

Line 1830A represents video door phone version of Line 7883A line and it consists of 3 rows brass panels compatible with COLOUR camera 1810/40 or B/W camera 1810/70 and following loudspeakers 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

Line 1830A uses 625 embedding box model thus, electrical contacts are inside the embedding box. When the panel is removed, all the wires are connected to embedding box making a lot easier replacement of nametags or maintenance on electronic equipment.

In Line 1830A model buttons are called pushbuttons because they push on electrical contacts inside the embedding box. This is key advantage versus competition where in many cases all the wires are connected directly on each button behind the panel.

Always on demand Prodel supplies 1830A panels in all shapes, finishing and colours.

Another key advantage of all 1830A Prodel brass panels is that owners of audio panel 625 can upgrade with video door phone version of same number of buttons using the same embedding box.

Therefore no brick layering is needed.

For example one building with audio phone system with 30 buttons on 3 rows using old 625 aluminium panel can be replaced with 1830A/30 brass panel always with 30 buttons on 3 rows, always using the same embedding box, but compatible with 1810/40 (COLOUR) or 1810/70 (B/W) camera.

LINE 1830A – VIDEO BRASS PANEL3 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 5150/500, 1128/500, 1038/62, 1072/19A, 1082/101 AND CAMERA 1810/70 OR 1810/40 WITH 625 EMBEDDING BOX

	PT1830A/xLN	PT1830A/xSO	PT1830A/xLO	PT1830A/xSB	PT1830A/xSF	PT1830A/xSA	PT1830A/xLA	PT1830A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT1830A/21

VIDEO BRASS PANEL 21 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 440 mm
Embedding box dimensions: width = 290 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1830A/21LN	POLISHED NATURAL BRASS
PT1830A/21SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1830A/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT1830A/21SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1830A/21SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1830A/21SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/21VM	OLD IRON BRASS



Model PT1830A/24

VIDEO BRASS PANEL 24 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 468 mm
Embedding box dimensions: width = 290 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1830A/24LN	POLISHED NATURAL BRASS
PT1830A/24SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1830A/24LO	POLISHED BRASS COLOUR WITH **PVD**
PT1830A/24SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1830A/24SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1830A/24SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/24LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/24VM	OLD IRON BRASS



Model PT1830A/27

VIDEO BRASS PANEL 27 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 496 mm
Embedding box dimensions: width = 290 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1830A/27LN	POLISHED NATURAL BRASS
PT1830A/27SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1830A/27LO	POLISHED BRASS COLOUR WITH **PVD**
PT1830A/27SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1830A/27SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1830A/27SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/27LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/27VM	OLD IRON BRASS



Model PT1830A/30

VIDEO BRASS PANEL 30 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 524 mm
Embedding box dimensions: width = 290 mm – height = 425 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1830A/30LN	POLISHED NATURAL BRASS
PT1830A/30SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1830A/30LO	POLISHED BRASS COLOUR WITH **PVD**
PT1830A/30SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1830A/30SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1830A/30SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/30LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/30VM	OLD IRON BRASS



Model PT1830A/33

VIDEO BRASS PANEL 33 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 552 mm
Embedding box dimensions: width = 290 mm – height = 453 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1830A/33LN	POLISHED NATURAL BRASS
PT1830A/33SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1830A/33LO	POLISHED BRASS COLOUR WITH **PVD**
PT1830A/33SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1830A/33SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1830A/33SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/33LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/33VM	OLD IRON BRASS



Model PT1830A/36

VIDEO BRASS PANEL 36 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 580 mm
Embedding box dimensions: width = 290 mm – height = 481 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1830A/36LN	POLISHED NATURAL BRASS
PT1830A/36SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1830A/36LO	POLISHED BRASS COLOUR WITH **PVD**
PT1830A/36SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1830A/36SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1830A/36SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/36LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/36VM	OLD IRON BRASS



Model PT1830A/39

VIDEO BRASS PANEL 39 BUTTONS ON 3 ROWS
Embedding box type: model 625
Front panel dimensions: width = 307 mm – height = 599 mm
Embedding box dimensions: width = 290 mm – height = 509 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1830A/39LN	POLISHED NATURAL BRASS
PT1830A/39SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1830A/39LO	POLISHED BRASS COLOUR WITH **PVD**
PT1830A/39SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1830A/39SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1830A/39SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/39LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1830A/39VM	OLD IRON BRASS

LINE 1840A

Line 1840A represents video door phone version of Line 1840A line and it consists of 4 rows brass panels compatible with COLOUR camera 1810/40 or B/W camera 1810/70 and following loudspeakers 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS), 1082/101 (2GO!).

Line 1840A uses 625 embedding box model thus, electrical contacts are inside the embedding box. When the panel is removed, all the wires are connected to embedding box making a lot easier replacement of nametags or maintenance on electronic equipment.

Line 1840A also represents 4 rows version of Line 7884A thus, the panels are mounted on two 625 embedding boxes joined together and white LEDs backlight for each nameplates are also included.

Always on demand Prodel supplies 1840A panels in all shapes, finishing and colours.

Embedding box of 1840A are NOT compatible with old 625 embedding box (code 7704), therefore 1840A panels used special embedding boxes supplied by Prodel.

However, on demand Prodel can provide only the front panel to be mounted on already installed embedding boxes.

White LED backlight for each nameplate offer great comfort to customers that can enjoy of LED backlight to increase reliability and decrease power consumption.

LINE 1840A – VIDEO BRASS PANEL4 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 AND CAMERA 1810/70 OR 1810/40 WITH TWO 625 EMBEDDING BOXES HORIZONTALLY COUPLED

	PT1840A/xLN	PT1840A/xSO	PT1840A/xLO	PT1840A/xSB	PT1840A/xSF	PT1840A/xSA	PT1840A/xLA	PT1840A/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT1840A/28

VIDEO BRASS PANEL 28 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 432 mm
Embedding box dimensions: width = 380 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/28LN	POLISHED NATURAL BRASS
PT1840A/28SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/28LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/28SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/28SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/28SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/28LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/28VM	OLD IRON BRASS



Model PT1840A/30

VIDEO BRASS PANEL 30 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 432 mm
Embedding box dimensions: width = 380 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/32LN	POLISHED NATURAL BRASS
PT1840A/32SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/32LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/32SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/32SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/30SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/30LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/32VM	OLD IRON BRASS



Model PT1840A/32

VIDEO BRASS PANEL 32 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 460 mm
Embedding box dimensions: width = 380 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/32LN	POLISHED NATURAL BRASS
PT1840A/32SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/32LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/32SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/32SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/32SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/32LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/32VM	OLD IRON BRASS



Model PT1840A/34

VIDEO BRASS PANEL 34 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 460 mm
Embedding box dimensions: width = 380 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/34LN	POLISHED NATURAL BRASS
PT1840A/34SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/34LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/34SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/34SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/34SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/34LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/34VM	OLD IRON BRASS



Model PT1840A/36

VIDEO BRASS PANEL 36 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 488 mm
Embedding box dimensions: width = 380 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/36LN	POLISHED NATURAL BRASS
PT1840A/36SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/36LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/36SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/36SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/36SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/36LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/36VM	OLD IRON BRASS



Model PT1840A/38

VIDEO BRASS PANEL 38 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 488 mm
Embedding box dimensions: width = 380 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/38LN	POLISHED NATURAL BRASS
PT1840A/38SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/38LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/38SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/38SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/38SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/38LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/38VM	OLD IRON BRASS



Model PT1840A/40

VIDEO BRASS PANEL 40 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 516 mm
Embedding box dimensions: width = 380 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/40LN	POLISHED NATURAL BRASS
PT1840A/40SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/40LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/40SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/40SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/40SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/40LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/40VM	OLD IRON BRASS



Model PT1840A/42

VIDEO BRASS PANEL 42 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 516 mm
Embedding box dimensions: width = 380 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/42LN	POLISHED NATURAL BRASS
PT1840A/42SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/42LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/42SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/42SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/42SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/42LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/42VM	OLD IRON BRASS



Model PT1840A/44

VIDEO BRASS PANEL 44 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 544 mm
Embedding box dimensions: width = 380 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/44LN	POLISHED NATURAL BRASS
PT1840A/44SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/44LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/44SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/44SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/44SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/44LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/44VM	OLD IRON BRASS



Model PT1840A/46

VIDEO BRASS PANEL 46 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 544 mm
Embedding box dimensions: width = 380 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/46LN	POLISHED NATURAL BRASS
PT1840A/46SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/46LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/46SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/46SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/46SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/46LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/46VM	OLD IRON BRASS



Model PT1840A/48

VIDEO BRASS PANEL 48 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 572 mm
Embedding box dimensions: width = 380 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/48LN	POLISHED NATURAL BRASS
PT1840A/48SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/48LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/48SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/48SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/48SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/48LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/48VM	OLD IRON BRASS



Model PT1840A/50

VIDEO BRASS PANEL 50 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 572 mm
Embedding box dimensions: width = 380 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/50LN	POLISHED NATURAL BRASS
PT1840A/50SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/50LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/50SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/50SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/50SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/50LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/50VM	OLD IRON BRASS



Model PT1840A/52

VIDEO BRASS PANEL 52 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 600 mm
Embedding box dimensions: width = 380 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/52LN	POLISHED NATURAL BRASS
PT1840A/52SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/52LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/52SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/52SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/52SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/52LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/52VM	OLD IRON BRASS



Model PT1840A/54

VIDEO BRASS PANEL 54 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 600 mm
Embedding box dimensions: width = 380 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/54LN	POLISHED NATURAL BRASS
PT1840A/54SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/54LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/54SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/54SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/54SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/54LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/54VM	OLD IRON BRASS



Model PT1840A/56

VIDEO BRASS PANEL 56 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 628 mm
Embedding box dimensions: width = 380 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/56LN	POLISHED NATURAL BRASS
PT1840A/56SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/56LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/56SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/56SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/56SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/56LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/56VM	OLD IRON BRASS



Model PT1840A/58

VIDEO BRASS PANEL 58 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 628 mm
Embedding box dimensions: width = 380 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/58LN	POLISHED NATURAL BRASS
PT1840A/58SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/58LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/58SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/58SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/58SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/58LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/58VM	OLD IRON BRASS



Model PT1840A/60

VIDEO BRASS PANEL 60 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 656 mm
Embedding box dimensions: width = 380 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/60LN	POLISHED NATURAL BRASS
PT1840A/60SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/60LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/60SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/60SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/60SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/60LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/60VM	OLD IRON BRASS



Model PT1840A/62

VIDEO BRASS PANEL 62 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 656 mm
Embedding box dimensions: width = 380 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/62LN	POLISHED NATURAL BRASS
PT1840A/62SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/62LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/62SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/62SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/62SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/62LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/62VM	OLD IRON BRASS



Model PT1840A/64

VIDEO BRASS PANEL 64 BUTTONS ON 4 ROWS
Embedding box type: Two 625 embedding boxes horizontally coupled
Front panel dimensions: width = 394 mm – height = 656 mm
Embedding box dimensions: width = 380 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1840A/64LN	POLISHED NATURAL BRASS
PT1840A/64SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1840A/64LO	POLISHED BRASS COLOUR WITH **PVD**
PT1840A/64SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1840A/64SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1840A/64SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/64LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1840A/64VM	OLD IRON BRASS

LINE 1725

Line 1725 consists of audio brass panels on 1 and 2 rows that can be used on almost all systems. In fact the 1725 is compatible with following loudspeakers: 1128/500 and 5150/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE), 1072/19A (BIBUS).

Line 1725 uses 725 embedding box model thus, electrical contacts are inside the embedding box. When the panel is removed, all the wires are connected to embedding box making a lot easier replacement of nametags or maintenance on electronic equipment.

In Line 1725 model buttons are called pushbuttons because they push on electrical contacts inside the embedding box. This is key advantage versus competition where in many cases all the wires are connected directly on each button behind the panel.

Prodel can provide only the front panel to be mounted on already installed embedding boxes.

Always on demand Prodel supplies 1725 panels in all shapes, finishing and colours.

LINE 1725 – AUDIO BRASS PANELS 1 AND 2 ROWS COMPATIBLE WITH LOUDSPEAKER 1035/67, 5150/500, 1128/500, 1038/62, 1072/19A. BEST REPLACEMENT FOR URMET 725 ALUMINIUM PANELS

	PT1725/xLN	PT1725/xSO	PT1725/xLO	PT1725/xSB	PT1725/xSF	PT1725/xSA	PT1725/xLA	PT1725/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box								
LED backlight for each nameplate								
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT1725/101

AUDIO BRASS PANEL FOR 725 REPLACEMENT 1 BUTTON ON 1 ROW
Front panel dimensions: width = 113 mm – height = 280 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 225 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/101LN	POLISHED NATURAL BRASS
PT1725/101SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/101LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/101SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/101SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/101SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/101LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/101VM	OLD IRON BRASS



Model PT1725/102

AUDIO BRASS PANEL FOR 725 REPLACEMENT 2 BUTTONS ON 1 ROW
Front panel dimensions: width = 113 mm – height = 280 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 225 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/102LN	POLISHED NATURAL BRASS
PT1725/102SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/102LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/102SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/102SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/102SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/102LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/102VM	OLD IRON BRASS



Model PT1725/103

AUDIO BRASS PANEL FOR 725 REPLACEMENT 3 BUTTONS ON 1 ROW
Front panel dimensions: width = 113 mm – height = 328 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 273 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/103LN	POLISHED NATURAL BRASS
PT1725/103SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/103LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/103SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/103SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/103SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/103LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/103VM	OLD IRON BRASS



Model PT1725/104

AUDIO BRASS PANEL FOR 725 REPLACEMENT 4 BUTTONS ON 1 ROW
Front panel dimensions: width = 113 mm – height = 328 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 273 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/104LN	POLISHED NATURAL BRASS
PT1725/104SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/104LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/104SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/104SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/104SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/104LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/104VM	OLD IRON BRASS



Model PT1725/105

AUDIO BRASS PANEL FOR 725 REPLACEMENT 5 BUTTONS ON 1 ROW
Front panel dimensions: width = 113 mm – height = 352 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 297 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/105LN	POLISHED NATURAL BRASS
PT1725/105SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/105LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/105SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/105SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/105SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/105LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/105VM	OLD IRON BRASS



Model PT1725/106

AUDIO BRASS PANEL FOR 725 REPLACEMENT 6 BUTTONS ON 1 ROW
Front panel dimensions: width = 113 mm – height = 376 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 321 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/106LN	POLISHED NATURAL BRASS
PT1725/106SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/106LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/106SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/106SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/106SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/106LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/106VM	OLD IRON BRASS



Model PT1725/107

AUDIO BRASS PANEL FOR 725 REPLACEMENT 7 BUTTONS ON 1 ROW
Front panel dimensions: width = 113 mm – height = 400 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 345 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/107LN	POLISHED NATURAL BRASS
PT1725/107SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/107LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/107SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/107SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/107SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/107LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/107VM	OLD IRON BRASS



Model PT1725/108

AUDIO BRASS PANEL FOR 725 REPLACEMENT 8 BUTTONS ON 1 ROW
Front panel dimensions: width = 113 mm – height = 424 mm
Retrofit on embedding box dimensions: width = 102 mm – height = 369 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/108LN	POLISHED NATURAL BRASS
PT1725/108SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/108LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/108SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/108SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/108SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/108LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/108VM	OLD IRON BRASS



Model PT1725/204

AUDIO BRASS PANEL FOR 725 REPLACEMENT 4 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 258 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 177 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/204LN	POLISHED NATURAL BRASS
PT1725/204SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/204LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/204SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/204SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/204SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/204LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/204VM	OLD IRON BRASS



Model PT1725/206

AUDIO BRASS PANEL FOR 725 REPLACEMENT 6 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 282 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 202 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/206LN	POLISHED NATURAL BRASS
PT1725/206SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/206LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/206SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/206SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/206SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/206LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/206VM	OLD IRON BRASS



Model PT1725/208

AUDIO BRASS PANEL FOR 725 REPLACEMENT 8 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 306 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 225 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/208LN	POLISHED NATURAL BRASS
PT1725/208SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/208LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/208SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/208SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/208SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/208LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/208VM	OLD IRON BRASS



Model PT1725/210

AUDIO BRASS PANEL FOR 725 REPLACEMENT 10 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 330 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 249 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/210LN	POLISHED NATURAL BRASS
PT1725/210SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/210LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/210SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/210SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/210SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/210LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/210VM	OLD IRON BRASS



Model PT1725/212

AUDIO BRASS PANEL FOR 725 REPLACEMENT 12 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 354 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 273 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/212LN	POLISHED NATURAL BRASS
PT1725/212SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/212LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/212SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/212SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/212SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/212LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/212VM	OLD IRON BRASS



Model PT1725/214

AUDIO BRASS PANEL FOR 725 REPLACEMENT 14 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 378 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 297 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/214LN	POLISHED NATURAL BRASS
PT1725/214SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/214LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/214SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/214SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/214SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/214LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/214VM	OLD IRON BRASS



Model PT1725/216

AUDIO BRASS PANEL FOR 725 REPLACEMENT 16 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 402 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 321 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/216LN	POLISHED NATURAL BRASS
PT1725/216SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/216LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/216SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/216SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/216SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/216LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/216VM	OLD IRON BRASS



Model PT1725/218

AUDIO BRASS PANEL FOR 725 REPLACEMENT 18 BUTTONS ON 2 ROWS
Front panel dimensions: width = 205 mm – height = 426 mm
Retrofit on embedding box dimensions: width = 194 mm – height = 345 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/218LN	POLISHED NATURAL BRASS
PT1725/218SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/218LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/218SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/218SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/218SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/218LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/218VM	OLD IRON BRASS



Model PT1725/220

AUDIO BRASS PANEL FOR 725 REPLACEMENT 20 BUTTONS ON 2 ROWS

Front panel dimensions: width = 205 mm – height = 450 mm

Retrofit on embedding box dimensions: width = 194 mm – height = 369 mm – depth = 43,5 mm

PRODUCT	DESCRIPTION
PT1725/220LN	POLISHED NATURAL BRASS
PT1725/220SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1725/220LO	POLISHED BRASS COLOUR WITH **PVD**
PT1725/220SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1725/220SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1725/220SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1725/220LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1725/220VM	OLD IRON BRASS

Via Cassini 89

LINE 782x3

Line 782x3 consists of audio brass panels for two-channels systems with 1, 2 and 3 rows compatible with loudspeakers model 4330/27 and using already installed embedding boxes model 7721, 7722 or 7723.

Line 782x3 allows users to replace in the simplest ways their current aluminium panel in the highest quality Prodel brass panel with no bricklayer jobs.

In Line 782x3 model buttons are called pushbuttons because they push on electrical contacts inside the embedding box. This is key advantage versus competition where in many cases all the wires are connected directly on each button behind the panel.

Users can decide to maintain the current lamps lightening or upgrade to white LED backlight for each nameplate offer great comfort to customers that can enjoy of LED backlight to increase reliability and decrease power consumption.

Always on demand Prodel supplies 782x3 panels in all shapes, finishing and colours.

It is also possible for some models to order special 782x3 model that includes embedding box with or without LED backlight.

LINE 782x3 – AUDIO BRASS PANELS 1, 2 e 3 ROWS FOR TWO-CHANNEL 4330/27 REPLACEMENT

	PT782x3/xLN	PT782x3/xSO	PT782x3/xLO	PT782x3/xSB	PT782x3/xSF	PT782x3/xSA	PT782x3/xLA	PT782x3/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box								
LED backlight for each nameplate								
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT78213/1

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 1 BUTTON ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78213/1LN	POLISHED NATURAL BRASS
PT78213/1SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78213/1LO	POLISHED BRASS COLOUR WITH **PVD**
PT78213/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78213/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78213/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78213/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78213/1VM	OLD IRON BRASS



Model PT78213/2

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 2 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78213/2LN	POLISHED NATURAL BRASS
PT78213/2SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78213/2LO	POLISHED BRASS COLOUR WITH **PVD**
PT78213/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78213/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78213/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78213/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78213/2VM	OLD IRON BRASS



Model PT78213/3

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 3 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78213/3LN	POLISHED NATURAL BRASS
PT78213/3SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78213/3LO	POLISHED BRASS COLOUR WITH **PVD**
PT78213/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78213/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78213/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78213/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78213/3VM	OLD IRON BRASS



Model PT78213/4

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 4 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78213/4LN	POLISHED NATURAL BRASS
PT78213/4SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78213/4LO	POLISHED BRASS COLOUR WITH **PVD**
PT78213/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78213/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78213/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78213/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78213/4VM	OLD IRON BRASS



Model PT78223/6

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 6 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 448 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/6LN	POLISHED NATURAL BRASS
PT78223/6SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/6LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/6VM	OLD IRON BRASS



Model PT78223/8

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 8 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 448 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/8LN	POLISHED NATURAL BRASS
PT78223/8SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/8LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/8VM	OLD IRON BRASS



Model PT78223/10

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 10 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 448 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/10LN	POLISHED NATURAL BRASS
PT78223/10SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/10VM	OLD IRON BRASS



Model PT78223/12

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 12 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 504 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/12LN	POLISHED NATURAL BRASS
PT78223/12SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/12LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/12VM	OLD IRON BRASS



Model PT78223/14

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 14 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 504 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/14LN	POLISHED NATURAL BRASS
PT78223/14SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/14LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/14SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/14SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/14SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/14LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/14VM	OLD IRON BRASS



Model PT78223/16

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 16 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 532 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/16LN	POLISHED NATURAL BRASS
PT78223/16SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/16LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/16SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/16SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/16SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/16LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/16VM	OLD IRON BRASS



Model PT78223/18

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 18 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 560 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/18LN	POLISHED NATURAL BRASS
PT78223/18SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/18LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/18SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/18SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/18SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/18LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/18VM	OLD IRON BRASS



Model PT78223/20

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 20 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 588 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78223/20LN	POLISHED NATURAL BRASS
PT78223/20SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78223/20LO	POLISHED BRASS COLOUR WITH **PVD**
PT78223/20SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78223/20SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78223/20SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78223/20LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78223/20VM	OLD IRON BRASS



Model PT78233/24

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 24 BUTTONS ON 3 ROWS

Front panel dimensions: width = 307 mm – height = 552 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 453 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78233/24LN	POLISHED NATURAL BRASS
PT78233/24SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78233/24LO	POLISHED BRASS COLOUR WITH **PVD**
PT78233/24SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78233/24SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78233/24SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78233/24LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78233/24VM	OLD IRON BRASS



Model PT78233/27

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 27 BUTTONS ON 3 ROWS

Front panel dimensions: width = 307 mm – height = 580 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 481 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78233/27LN	POLISHED NATURAL BRASS
PT78233/27SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78233/27LO	POLISHED BRASS COLOUR WITH **PVD**
PT78233/27SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78233/27SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78233/27SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78233/27LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78233/27VM	OLD IRON BRASS



Model PT78233/30

AUDIO BRASS PANEL FOR TWO-CHANNEL 4330/27 REPLACEMENT 30 BUTTONS ON 3 ROWS

Front panel dimensions: width = 307 mm – height = 599 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 509 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78233/30LN	POLISHED NATURAL BRASS
PT78233/30SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78233/30LO	POLISHED BRASS COLOUR WITH **PVD**
PT78233/30SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78233/30SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78233/30SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78233/30LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78233/30VM	OLD IRON BRASS

LINE 782x4

Line 782x4 consists of audio brass panels for two-channels systems with 1, 2 and 3 rows compatible with loudspeakers model 4340/27 and using already installed embedding boxes model 7721, 7722 or 7723.

Line 782x4 allows users to replace in the simplest ways their current aluminium panel in the highest quality Prodel brass panel with no bricklayer jobs.

In Line 782x4 model buttons are called pushbuttons because they push on electrical contacts inside the embedding box. This is key advantage versus competition where in many cases all the wires are connected directly on each button behind the panel.

Users can decide to maintain the current lamps lightening or upgrade to white LED backlight for each nameplate offer great comfort to customers that can enjoy of LED backlight to increase reliability and decrease power consumption.

Always on demand Prodel supplies 782x4 panels in all shapes, finishing and colours.

It is also possible for some models to order special 782x4 model that includes embedding box with or without LED backlight.

LINE 782x4 – AUDIO BRASS PANELS 1, 2 e 3 ROWS FOR TWO-CHANNEL 4340/27 REPLACEMENT

	PT782x4/xLN	PT782x4/xSO	PT782x4/xLO	PT782x4/xSB	PT782x4/xSF	PT782x4/xSA	PT782x4/xLA	PT782x4/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box								
LED backlight for each nameplate								
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT78214/1

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 1 BUTTON ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78214/1LN	POLISHED NATURAL BRASS
PT78214/1SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78214/1LO	POLISHED BRASS COLOUR WITH **PVD**
PT78214/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78214/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78214/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78214/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78214/1VM	OLD IRON BRASS



Model PT78214/2

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 2 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78214/2LN	POLISHED NATURAL BRASS
PT78214/2SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78214/2LO	POLISHED BRASS COLOUR WITH **PVD**
PT78214/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78214/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78214/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78214/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78214/2VM	OLD IRON BRASS



Model PT78214/3

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 3 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78214/3LN	POLISHED NATURAL BRASS
PT78214/3SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78214/3LO	POLISHED BRASS COLOUR WITH **PVD**
PT78214/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78214/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78214/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78214/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78214/3VM	OLD IRON BRASS



Model PT78214/4

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 4 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 466 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT78214/4LN	POLISHED NATURAL BRASS
PT78214/4SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78214/4LO	POLISHED BRASS COLOUR WITH **PVD**
PT78214/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78214/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78214/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78214/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78214/4VM	OLD IRON BRASS



Model PT78224/6

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 6 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 448 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/6LN	POLISHED NATURAL BRASS
PT78224/6SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/6LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/6SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/6SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/6SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/6LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/6VM	OLD IRON BRASS



Model PT78224/8

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 8 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 448 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/8LN	POLISHED NATURAL BRASS
PT78224/8SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/8LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/8SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/8SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/8SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/8LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/8VM	OLD IRON BRASS



Model PT78224/10

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 10 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 448 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/10LN	POLISHED NATURAL BRASS
PT78224/10SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/10SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/10SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/10SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/10VM	OLD IRON BRASS



Model PT78224/12

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 12 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 504 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/12LN	POLISHED NATURAL BRASS
PT78224/12SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/12LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/12SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/12SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/12SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/12VM	OLD IRON BRASS



Model PT78224/14

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 14 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 504 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/14LN	POLISHED NATURAL BRASS
PT78224/14SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/14LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/14SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/14SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/14SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/14LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/14VM	OLD IRON BRASS



Model PT78224/16

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 16 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 532 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/16LN	POLISHED NATURAL BRASS
PT78224/16SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/16LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/16SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/16SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/16SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/16LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/16VM	OLD IRON BRASS



Model PT78224/18

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 18 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 560 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/18LN	POLISHED NATURAL BRASS
PT78224/18SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/18LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/18SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/18SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/18SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/18LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/18VM	OLD IRON BRASS



Model PT78224/20

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 20 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 588 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78224/20LN	POLISHED NATURAL BRASS
PT78224/20SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78224/20LO	POLISHED BRASS COLOUR WITH **PVD**
PT78224/20SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78224/20SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78224/20SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78224/20LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78224/20VM	OLD IRON BRASS



Model PT78234/24

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 24 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 552 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 453 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78234/24LN	POLISHED NATURAL BRASS
PT78234/24SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78234/24LO	POLISHED BRASS COLOUR WITH **PVD**
PT78234/24SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78234/24SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78234/24SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78234/24LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78234/24VM	OLD IRON BRASS



Model PT78234/27

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 27 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 580 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 481 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78234/27LN	POLISHED NATURAL BRASS
PT78234/27SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78234/27LO	POLISHED BRASS COLOUR WITH **PVD**
PT78234/27SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78234/27SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78234/27SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78234/27LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78234/27VM	OLD IRON BRASS



Model PT78234/30

AUDIO BRASS PANEL FOR TWO-CHANNEL 4340/27 REPLACEMENT 30 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 599 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 509 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT78234/30LN	POLISHED NATURAL BRASS
PT78234/30SO	BRUSHED BRASS COLOUR WITH **PVD**
PT78234/30LO	POLISHED BRASS COLOUR WITH **PVD**
PT78234/30SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT78234/30SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT78234/30SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT78234/30LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT78234/30VM	OLD IRON BRASS

MODEL 1072/14C

1072/14C is the highest quality solution available for buildings that integrates BIBUS systems.

1072/14 call module with electronic directory is integrated on board for perfect fitting with high quality brass panel also available with PVD treatment.

A great combined solution integrating advanced electronic technology with BIBUS system and the best quality brass panels available in the market.

Model PT1072/14C

AUDIO BRASS PANEL WITH DIGITAL CALL MODULE AND ELECTRONIC DIRECTORY FOR BISUS II.
Embedding box type: 2 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 319 mm
Embedding box dimensions: width = 138 mm – height = 256 mm – depth = 65 mm

PRODUCT	**DESCRIPTION**
PT1072/14CLN	POLISHED NATURAL BRASS
PT1072/14CSO	BRUSHED BRASS COLOUR WITH **PVD**
PT1072/14CLO	POLISHED BRASS COLOUR WITH **PVD**
PT1072/14CSB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1072/14CSF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1072/14CSA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1072/14CLA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1072/14CVM	OLD IRON BRASS

	PT1072/14CLN	PT1072/14CSO	PT1072/14CLO	PT1072/14CSB	PT1072/14CSF	PT1072/14CSA	PT1072/14CLA	PT1072/14CVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Call module and electronic directory for BIBUS II 1072/14	☑	☑	☑	☑	☑	☑	☑	☑

MODEL 1072/14V

Model 1072/14V represents the video door phone version of model 1072/14C and uses COLOUR camera 1810/40 or B/N camera 1810/70.

Mounting is very simple: just plug the camera on the specific camera frame behind the panel. So the camera can be easily removed for repairing.

Another example of plug and play is the camera support that allows to change camera orientation to achieve the best video quality.

1072/14 complete the panel with unachieved quality level in the market.

Model PT1072/14V

VIDEO BRASS PANEL WITH DIGITAL CALL MODULE AND ELECTRONIC DIRECTORY FOR BISUS II.
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1072/14VLN	POLISHED NATURAL BRASS
PT1072/14VSO	BRUSHED BRASS COLOUR WITH **PVD**
PT1072/14VLO	POLISHED BRASS COLOUR WITH **PVD**
PT1072/14VSB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1072/14VSF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1072/14VSA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1072/14VLA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1072/14VVM	OLD IRON BRASS

	PT1072/14VLN	PT1072/14VSO	PT1072/14VLO	PT1072/14VSB	PT1072/14VSF	PT1072/14VSA	PT1072/14VLA	PT1072/14VVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Call module and electronic directory for BIBUS II 1072/14	☑	☑	☑	☑	☑	☑	☑	☑
Camera support for 1810/70 or 1810/40	☑	☑	☑	☑	☑	☑	☑	☑

MODEL 1082/14C

For buildings using 2GO! system, 1082/14C is the brass panel with digital electronic call module and electronic directory.

1082/14C is mounted on 2 modules K-STEEL embedding box with dept extension to support electronic mounting.

1082/14C uses infrared port to be used during user programmability.

Model PT1082/14C

AUDIO BRASS PANEL WITH DIGITAL CALL MODULE AND ELECTRONIC DIRECTORY FOR 2GO!

Embedding box type: 2 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 319 mm
Embedding box dimensions: width = 138 mm – height = 256 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1082/14CLN	POLISHED NATURAL BRASS
PT1082/14CSO	BRUSHED BRASS COLOUR WITH **PVD**
PT1082/14CLO	POLISHED BRASS COLOUR WITH **PVD**
PT1082/14CSB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1082/14CSF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1082/14CSA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1082/14CLA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1082/14CVM	OLD IRON BRASS

	PT1082/14CLN	PT1082/14CSO	PT1082/14CLO	PT1082/14CSB	PT1082/14CSF	PT1082/14CSA	PT1082/14CLA	PT1082/14CVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Call module and electronic directory for 2GO! 1082/14	☑	☑	☑	☑	☑	☑	☑	☑

MODEL 1082/14V

1082/14V integrates in 3 modules K- STEEL embedding box the support to mount COLOUR camera 1810/40 or B/W camera 1810/70 and digital call module with electronic directory 1082/14.

This highly integrated is extremely integrated and alternative solutions for buildings using 2GO! system.

Thus, 30 buttons video brass panel can be integrated in 3 modules K-STEEL reducing cost and sizes of the entry panel.

Model PT1082/14V

VIDEO BRASS PANEL WITH DIGITAL CALL MODULE AND ELECTRONIC DIRECTORY FOR 2GO!
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	**DESCRIPTION**
PT1082/14VLN	POLISHED NATURAL BRASS
PT1082/14VSO	BRUSHED BRASS COLOUR WITH **PVD**
PT1082/14VLO	POLISHED BRASS COLOUR WITH **PVD**
PT1082/14VSB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1082/14VSF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1082/14VSA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1082/14VLA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1082/14VVM	OLD IRON BRASS

	PT1082/14VLN	PT1082/14VSO	PT1082/14VLO	PT1082/14VSB	PT1082/14VSF	PT1082/14VSA	PT1082/14VLA	PT1082/14VVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Call module and electronic directory for 1082/14	☑	☑	☑	☑	☑	☑	☑	☑
Camera support for 1810/70 or 1810/40	☑	☑	☑	☑	☑	☑	☑	☑

MODEL 1038/16C

For buildings where DIGIVOICE system is installed, Prodel brass panel 1038/16C is the audio entry panel integrating digital call module and electronic directory 1038/16.

1038/16C offers great integration of Urmet electronic providing first class solution on technical and design point of view.

1038/16C brass panel can be programmed on 16 languages to offer customized solution for worldwide market.

Model PT1038/16C

AUDIO BRASS PANEL WITH DIGITAL CALL MODULE AND ELECTRONIC DIRECTORY FOR DIGIVOICE

Embedding box type: 2 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 319 mm
Embedding box dimensions: width = 138 mm – height = 256 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1038/16CLN	POLISHED NATURAL BRASS
PT1038/16CSO	BRUSHED BRASS COLOUR WITH **PVD**
PT1038/16CLO	POLISHED BRASS COLOUR WITH **PVD**
PT1038/16CSB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1038/16CSF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1038/16CSA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1038/16CLA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1038/16CVM	OLD IRON BRASS

	PT1038/16CLN	PT1038/16CSO	PT1038/16CLO	PT1038/16CSB	PT1038/16CSF	PT1038/16CSA	PT1038/16CLA	PT1038/16CVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Call module and electronic directory for DIGIVOICE 1038/16	☑	☑	☑	☑	☑	☑	☑	☑

MODEL 1038/16V

1038/16V is the video door phone version of 1038/16C so it is compatible with COLOUR camera 1810/40 and B/W camera 1810/70.

Typical usage of 1038/16V is for building with extremely high number of users. Thanks to PVD treatment executed on almost all panels the reliability of the panel is highly increased, maintaining its brightness and quality unchanged over the years.

Mounting is very easy, like plug and play. Just plug the camera on the specific camera frame behind the panel as well. So the camera can be easily removed for repairing.

Model PT1038/16V

VIDEO BRASS PANEL WITH DIGITAL CALL MODULE AND ELECTRONIC DIRECTORY FOR DIGIVOICE

Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1038/16VLN	POLISHED NATURAL BRASS
PT1038/16VSO	BRUSHED BRASS COLOUR WITH **PVD**
PT1038/16VLO	POLISHED BRASS COLOUR WITH **PVD**
PT1038/16VSB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1038/16VSF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1038/16VSA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1038/16VLA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1038/16VVM	OLD IRON BRASS

	PT1082/14VLN	PT1082/14VSO	PT1082/14VLO	PT1082/14VSB	PT1082/14VSF	PT1082/14VSA	PT1082/14VLA	PT1082/14VVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Call module and electronic directory for DIGIVOICE 1038/16	☑	☑	☑	☑	☑	☑	☑	☑
Camera support for 1810/70 or 1810/40	☑	☑	☑	☑	☑	☑	☑	☑

MODEL 1156

Model 1156 offers top of the class solution for access control panels.

1156/10 Urmet door opener module with code keypad is integrated behind the Prodel 1156 brass panel and included in the price. Up to 8 codes can be managed and each codes can have length between 3 and 8 digits.

1156 model is manufactured in the same way and with same material of Prodel brass panels. Thus, customer could combine main entry panel with access control brass panel for specific areas, maintaining the same highest quality style and quality.

Model PT1156

BRASS PANEL INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 1 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 206 mm
Embedding box dimensions: width = 138 mm – height = 139 mm – depth = 65 mm

PRODUCT	**DESCRIPTION**
PT1156LN	POLISHED NATURAL BRASS
PT1156SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156VM	OLD IRON BRASS

	PT1156LN	PT1156SO	PT1156LO	PT1156SB	PT1156SF	PT1156SA	PT1156LA	PT1156VM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Door opener with code keypad module 1156/10	☑	☑	☑	☑	☑	☑	☑	☑

MODEL 1156/700

1156/700 is the video door phone version of 1156 brass panel.

This model offer the most complete coverage for secure access area integrating the 1156/10 door opener module with code keypad with COLOUR camera 1810/40 and B/W camera 1810/70.

Mounting is very easy, like plug and play. Just put the camera on the specific camera frame behind the panel as well. So the camera can be easily removed for repairing.

Another example of plug and play is the camera support that allows to change camera orientation to achieve the best video quality.

Model PT1156/700

VIDEO BRASS PANEL INTEGRATING DOOR OPENER WITH CODE KEYPAD

Embedding box type: 2 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 319 mm
Embedding box dimensions: width = 138 mm – height = 256 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/700LN	POLISHED NATURAL BRASS
PT1156/700SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/700LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/700SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/700SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/700SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/700LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/700VM	OLD IRON BRASS

	PT1156/700LN	PT1156/700SO	PT1156/700LO	PT1156/700SB	PT1156/700SF	PT1156/700SA	PT1156/700LA	PT1156/700VM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Door opener with code keypad module 1156/10	☑	☑	☑	☑	☑	☑	☑	☑
Camera support for 1810/70 or 1810/40	☑	☑	☑	☑	☑	☑	☑	☑

LINE 1156/x

For secure access area where audio communication is needed the Line 1156/x is the solution.

Line 1156/x consists of brass panels integrating 1156/10 door opener module with code keypad with models up to 4 buttons on 1 row and compatible with loudspeaker 824/500. Extremely easy to install: just mount loudspeaker behind the panel using the frame already mounted on board.

No glue, no workarounds. Simply the best solution to combine highest quality brass panel and most advanced Urmet electronic.

Embedding boxes for Line 1156/x are 2 or 3 modules K-STEEL and integrates extension module on board making total depth of embedding box of 65 mm to allow perfect integration of electronic modules inside the panel.

	PT1156/xLN	PT1156/xSO	PT1156/xLO	PT1156/xSB	PT1156/xSF	PT1156/xSA	PT1156/xLA	PT1156/xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT1156/1

AUDIO BRASS PANEL 1 BUTTON ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 2 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 319 mm
Embedding box dimensions: width = 138 mm – height = 256 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/1LN	POLISHED NATURAL BRASS
PT1156/1SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/1LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/1SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/1SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/1SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/1LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/1VM	OLD IRON BRASS



Model PT1156/2

AUDIO BRASS PANEL 2 BUTTONS ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 2 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 319 mm
Embedding box dimensions: width = 138 mm – height = 256 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/2LN	POLISHED NATURAL BRASS
PT1156/2SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/2LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/2SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/2SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/2SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/2LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/2VM	OLD IRON BRASS



Model PT1156/3

AUDIO BRASS PANEL 3 BUTTONS ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/3LN	POLISHED NATURAL BRASS
PT1156/3SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/3LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/3SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/3SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/3SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/3LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/3VM	OLD IRON BRASS



Model PT1156/4

AUDIO BRASS PANEL 4 BUTTONS ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/4LN	POLISHED NATURAL BRASS
PT1156/4SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/4LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/4SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/4SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/4SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/4LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/4VM	OLD IRON BRASS

LINE 1156/70x

Line 1156/70x is the video door phone version of 1156/x brass panels and integrate on board COLOUR camera 1810/40 or B/W camera 1810/70.

Mounting is very easy, like plug and play. Just put the loudspeaker on the frame already mounted behind the panel. Then plug the camera on the specific camera frame behind the panel as well. So the camera can be easily removed for repairing.

Another example of plug and play is the camera support that allows to change camera orientation to achieve the best video quality.

1156/10 door opener module is already integrated behind the panel and included in the price. The camera can be bought separately and mounted directly in place.

All panels are including white LEDs backlight for each nameplate.

	PT1156/70xLN	PT1156/70xSO	PT1156/70xLO	PT1156/70xSB	PT1156/70xSF	PT1156/70xSA	PT1156/70xLA	PT1156/70xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT1156/701

VIDEO BRASS PANEL 1 BUTTON ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/701LN	POLISHED NATURAL BRASS
PT1156/701SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/701LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/701SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/701SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/701SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/701LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/701VM	OLD IRON BRASS



Model PT1156/702

VIDEO BRASS PANEL 2 BUTTONS ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/702LN	POLISHED NATURAL BRASS
PT1156/702SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/702LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/702SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/702SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/702SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/702LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/702VM	OLD IRON BRASS



Model PT1156/703

VIDEO BRASS PANEL 3 BUTTONS ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/703LN	POLISHED NATURAL BRASS
PT1156/703SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/703LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/703SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/703SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/703SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/703LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/703VM	OLD IRON BRASS



Model PT1156/704

VIDEO BRASS PANEL 4 BUTTONS ON 1 ROW INTEGRATING DOOR OPENER WITH CODE KEYPAD
Embedding box type: 3 K-Steel modules with extension
Front panel dimensions: width = 150 mm – height = 438 mm
Embedding box dimensions: width = 138 mm – height = 376 mm – depth = 65 mm

PRODUCT	DESCRIPTION
PT1156/704LN	POLISHED NATURAL BRASS
PT1156/704SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1156/704LO	POLISHED BRASS COLOUR WITH **PVD**
PT1156/704SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1156/704SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1156/704SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1156/704LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1156/704VM	OLD IRON BRASS

LINE 625

Line 625 consists of aluminium panel for audio systems with 1, 2, 3 and 4 rows compatible with loudspeaker 5150/500 or 1128/500 (4+N system).

Line 625 front panels can be mounted on already installed 625 embedding boxes (codes 7701, 7702, 7703, 7704), without any brick layering and without any change to electric system. It is simply needed to remove the old aluminium panel and install the new one.

LINE 625 – AUDIO ALUMINIUM PANEL 4 mm THICKNESS FOR 1, 2, 3 e 4 ROWS COMPATIBLE WITH LOUDSPEAKER 5150/500 AND 1128/500 SUITABLE FOR ORIGINAL URMET 625 PANEL REPLACEMENT

On demand Prodel supplies metal covers for 625 buttons to increase endurance of the vandal resistant panel.

Model PT625/100

AUDIO ALUMINIUM PANEL 1 BUTTON ON 1 ROW
Front panel dimensions: width = 109 mm – height = 234 mm
Retrofit on embedding box dimensions: width = 89 mm – height = 214 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/100	PANEL WITH BUTTON

Model PT625/101

AUDIO ALUMINIUM PANEL 2 BUTTONS ON 1 ROW
Front panel dimensions: width = 109 mm – height = 234 mm
Retrofit on embedding box dimensions: width = 89 mm – height = 214 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/101	PANEL WITH BUTTONS

Model PT625/102

AUDIO ALUMINIUM PANEL 3 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 276 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 260 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/102	PANEL WITH BUTTONS

Model PT625/103

AUDIO ALUMINIUM PANEL 4 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 304 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 288 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/103	PANEL WITH BUTTONS

Model PT625/104

AUDIO ALUMINIUM PANEL 5 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 332 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 316 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/104	PANEL WITH BUTTONS

Model PT625/105

AUDIO ALUMINIUM PANEL 6 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 360 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 344 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/105	PANEL WITH BUTTONS

Model PT625/106

AUDIO ALUMINIUM PANEL 7 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 388 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 372 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/106	PANEL WITH BUTTONS

Model PT625/107

AUDIO ALUMINIUM PANEL 8 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/107	PANEL WITH BUTTONS

Model PT625/108

AUDIO ALUMINIUM PANEL 9 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 444 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 428 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/108	PANEL WITH BUTTONS

Model PT625/109

AUDIO ALUMINIUM PANEL 10 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 472 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 456 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/109	PANEL WITH BUTTONS

Model PT625/130

AUDIO ALUMINIUM PANEL 4 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 248 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 228 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/130	PANEL WITH BUTTONS

Model PT625/131

AUDIO ALUMINIUM PANEL 6 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 248 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 228 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/131	PANEL WITH BUTTONS

Model PT625/132

AUDIO ALUMINIUM PANEL 8 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 304 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/132	PANEL WITH BUTTONS

Model PT625/133

AUDIO ALUMINIUM PANEL 10 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 304 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/133	PANEL WITH BUTTONS

Model PT625/134

AUDIO ALUMINIUM PANEL 12 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 332 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/134	PANEL WITH BUTTONS

Model PT625/135

AUDIO ALUMINIUM PANEL 14 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 360 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/135	PANEL WITH BUTTONS

Model PT625/136

AUDIO ALUMINIUM PANEL 16 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 388 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/136	PANEL WITH BUTTONS

Model PT625/137

AUDIO ALUMINIUM PANEL 18 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/137	PANEL WITH BUTTONS

Model PT625/138

AUDIO ALUMINIUM PANEL 20 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 444 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/138	PANEL WITH BUTTONS

Model PT625/139

AUDIO ALUMINIUM PANEL 22 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 472 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/139	PANEL WITH BUTTONS

Model PT625/140

AUDIO ALUMINIUM PANEL 24 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 500 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/140	PANEL WITH BUTTONS

Model PT625/141

AUDIO ALUMINIUM PANEL 26 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 528 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/141	PANEL WITH BUTTONS

Model PT625/142

AUDIO ALUMINIUM PANEL 28 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 556 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/142	PANEL WITH BUTTONS

Model PT625/143

AUDIO ALUMINIUM PANEL 30 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 556 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/143	PANEL WITH BUTTONS

Model PT625/160

AUDIO ALUMINIUM PANEL 15 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 304 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 284 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/160	PANEL WITH BUTTONS

Model PT625/161

AUDIO ALUMINIUM PANEL 21 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 360 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/161	PANEL WITH BUTTONS

Model PT625/162

AUDIO ALUMINIUM PANEL 27 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/162	PANEL WITH BUTTONS

Model PT625/163

AUDIO ALUMINIUM PANEL 33 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 472 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 453 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/163	PANEL WITH BUTTONS

Model PT625/164

AUDIO ALUMINIUM PANEL 39 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 528 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 509 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/164	PANEL WITH BUTTONS

Model PT625/165

AUDIO ALUMINIUM PANEL 45 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 584 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 564 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/165	PANEL WITH BUTTONS

Model PT625/166

AUDIO ALUMINIUM PANEL 51 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 640 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 620 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/166	PANEL WITH BUTTONS

Model PT625/167

AUDIO ALUMINIUM PANEL 57 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 696 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 676 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/167	PANEL WITH BUTTONS

Model PT625/170

AUDIO ALUMINIUM PANEL 30 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 332 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/170	PANEL WITH BUTTONS

Model PT625/171

AUDIO ALUMINIUM PANEL 32 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 332 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 312 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/171	PANEL WITH BUTTONS

Model PT625/172

AUDIO ALUMINIUM PANEL 36 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 360 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 340 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/172	PANEL WITH BUTTONS

Model PT625/173

AUDIO ALUMINIUM PANEL 40 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 388 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/173	PANEL WITH BUTTONS

Model PT625/174

AUDIO ALUMINIUM PANEL 44 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/174	PANEL WITH BUTTONS

Model PT625/175

AUDIO ALUMINIUM PANEL 48 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 444 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 425 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/175	PANEL WITH BUTTONS

Model PT625/176

AUDIO ALUMINIUM PANEL 52 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 472 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/176	PANEL WITH BUTTONS

Model PT625/177

AUDIO ALUMINIUM PANEL 56 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 500 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/177	PANEL WITH BUTTONS

Model PT625/178

AUDIO ALUMINIUM PANEL 60 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 528 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/178	PANEL WITH BUTTONS

Model PT625/179

AUDIO ALUMINIUM PANEL 64 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 556 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/179	PANEL WITH BUTTONS

Model PT625/180

AUDIO ALUMINIUM PANEL 70 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 612 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 592 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/180	PANEL WITH BUTTONS

Model PT625/181

AUDIO ALUMINIUM PANEL 74 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 640 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 620 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/181	PANEL WITH BUTTONS

Model PT625/182

AUDIO ALUMINIUM PANEL 80 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 668 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 648 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/182	PANEL WITH BUTTONS

Model PT625/183

AUDIO ALUMINIUM PANEL 90 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 752 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 732 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/183	PANEL WITH BUTTONS

Model PT625/184

AUDIO ALUMINIUM PANEL 100 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 808 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 788 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/184	PANEL WITH BUTTONS

LINE 625 TWO-CHANNELS

Line 625 two-channels consists of aluminium front panel for audio phone two-channel systems è in 1, 2, 3 and 4 rows using loudspeaker 4330/27 or 4340/27.

625 two-channels aluminium panels can be mounted on original 625 two-channels embedding boxes already installed without any brick layering.

Just remove the old panel and replace with new Prodel 625 two-channels panel; no change required on the connections because the contacts are made on the back of embedding box.

LINE 625 TWO-CHANNELS ALUMINIUM PANEL 4 mm THICKNESS ON 1, 2, 3 AND 4 ROWS COMPATIBLE WITH LOUDSPEAKER 4330/27, 4340/27 SUITABLE FOR ORIGINAL URMET 625 TWO-CHANNEL PANEL REPLACEMENT

On demand Prodel supplies metal covers for 625 buttons to increase endurance of the vandal resistant panel.



Model PT625/110

AUDIO TWO-CHANNELS ALUMINIUM PANEL 1 BUTTON ON 1 ROW
Front panel dimensions: width = 130 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT625/110	PANEL WITH BUTTON

Model PT625/111

AUDIO TWO-CHANNELS ALUMINIUM PANEL 2 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT625/111	PANEL WITH BUTTONS

Model PT625/112

AUDIO TWO-CHANNELS ALUMINIUM PANEL 3 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT625/112	PANEL WITH BUTTONS

Model PT625/113

AUDIO TWO-CHANNELS ALUMINIUM PANEL 4 BUTTONS ON 1 ROW
Front panel dimensions: width = 130 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 113 mm – height = 400 mm – depth = 51 mm

PRODUCT	DESCRIPTION
PT625/113	PANEL WITH BUTTONS

Model PT625/144

AUDIO TWO-CHANNELS ALUMINIUM PANEL 6 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 388 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/144	PANEL WITH BUTTONS

Model PT625/145

AUDIO TWO-CHANNELS ALUMINIUM PANEL 8 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 388 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/145	PANEL WITH BUTTONS

Model PT625/146

AUDIO TWO-CHANNELS ALUMINIUM PANEL 10 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 388 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 368 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/146	PANEL WITH BUTTONS

Model PT625/147

AUDIO TWO-CHANNELS ALUMINIUM PANEL 12 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 444 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/147	PANEL WITH BUTTONS

Model PT625/148

AUDIO TWO-CHANNELS ALUMINIUM PANEL 14 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 444 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 424 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/148	PANEL WITH BUTTONS

Model PT625/149

AUDIO TWO-CHANNELS ALUMINIUM PANEL 16 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 472 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/149	PANEL WITH BUTTONS

Model PT625/150

AUDIO TWO-CHANNELS ALUMINIUM PANEL 18 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 500 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/150	PANEL WITH BUTTONS

Model PT625/151

AUDIO TWO-CHANNELS ALUMINIUM PANEL 20 BUTTONS ON 2 ROWS
Front panel dimensions: width = 206 mm – height = 528 mm
Retrofit on embedding box dimensions: width = 190 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/151	PANEL WITH BUTTONS

Model PT625/157

AUDIO TWO-CHANNELS ALUMINIUM PANEL 24 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 472 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 453 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/157	PANEL WITH BUTTONS

Model PT625/158

AUDIO TWO-CHANNELS ALUMINIUM PANEL 27 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 500 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 481 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/158	PANEL WITH BUTTONS

Model PT625/159

AUDIO TWO-CHANNELS ALUMINIUM PANEL 30 BUTTONS ON 3 ROWS
Front panel dimensions: width = 307 mm – height = 528 mm
Retrofit on embedding box dimensions: width = 290 mm – height = 509 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/159	PANEL WITH BUTTONS

Model PT625/185

AUDIO TWO-CHANNELS ALUMINIUM PANEL 32 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 416 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 396 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/185	PANEL WITH BUTTONS

Model PT625/186

AUDIO TWO-CHANNELS ALUMINIUM PANEL 36 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 444 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 425 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/186	PANEL WITH BUTTONS

Model PT625/187

AUDIO TWO-CHANNELS ALUMINIUM PANEL 40 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 472 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 452 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/187	PANEL WITH BUTTONS

Model PT625/188

AUDIO TWO-CHANNELS ALUMINIUM PANEL 44 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 500 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 480 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/188	PANEL WITH BUTTONS

Model PT625/189

AUDIO TWO-CHANNELS ALUMINIUM PANEL 48 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 528 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 508 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/189	PANEL WITH BUTTONS

Model PT625/190

AUDIO TWO-CHANNELS ALUMINIUM PANEL 52 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 556 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 536 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/190	PANEL WITH BUTTONS

Model PT625/191

AUDIO TWO-CHANNELS ALUMINIUM PANEL 56 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 584 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 564 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/191	PANEL WITH BUTTONS

Model PT625/192

AUDIO TWO-CHANNELS ALUMINIUM PANEL 60 BUTTONS ON 4 ROWS
Front panel dimensions: width = 380 mm – height = 612 mm
Retrofit on embedding box dimensions: width = 360 mm – height = 592 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT625/192	PANEL WITH BUTTONS

Line 625 standard or two-channels are also available with accessory panels in 1 and 2 rows without loudspeaker grid.

All original 625 panels can be replaced with new Prodel panel renewing the design of your entry panel at extremely low cost.

LINE 777x

LINE 777x – **VANDAL RESISTANT** ALUMINIUM PANEL 6 mm THICKNESS ON 1, 2 AND 4 ROWS COMPATIBLE WITH LOUDSPEAKER 5150/500 AND 1128/500 INCLUDING EMBEDDING BOX, LAMP LIGHTNING, BUTTONS AND NAMETAGS



Key feature of Line 777x is 6 mm thickness aluminium panel and surface buttons that makes extremely robust and reliable panel.

In addition, the top of buttons is not outside the panel increasing level of protection of the vandal resistant panel.

Model PT7771/1

VANDAL RESISTANT ALUMINIUM PANEL 1 BUTTON ON 1 ROW
Front panel dimensions: width = 123 mm – height = 316 mm
Embedding box dimensions: width = 92 mm – height = 303 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7771/1	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7771/2

VANDAL RESISTANT ALUMINIUM PANEL 2 BUTTONS ON 1 ROW
Front panel dimensions: width = 123 mm – height = 339 mm
Embedding box dimensions: width = 92 mm – height = 326 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7771/2	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/4

VANDAL RESISTANT ALUMINIUM PANEL 4 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 270 mm
Embedding box dimensions: width = 162 mm – height = 255 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/4	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/6

VANDAL RESISTANT ALUMINIUM PANEL 6 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 293 mm
Embedding box dimensions: width = 162 mm – height = 278 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/6	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/8

VANDAL RESISTANT ALUMINIUM PANEL 8 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 316 mm
Embedding box dimensions: width = 162 mm – height = 301 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/8	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/10

VANDAL RESISTANT ALUMINIUM PANEL 10 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 339 mm
Embedding box dimensions: width = 162 mm – height = 324 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/10	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/12

VANDAL RESISTANT ALUMINIUM PANEL 12 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 362 mm
Embedding box dimensions: width = 162 mm – height = 347 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/12	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/14

VANDAL RESISTANT ALUMINIUM PANEL 14 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 385 mm
Embedding box dimensions: width = 162 mm – height = 370 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/14	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/16

VANDAL RESISTANT ALUMINIUM PANEL 16 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 408 mm
Embedding box dimensions: width = 162 mm – height = 393 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/16	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/18

VANDAL RESISTANT ALUMINIUM PANEL 18 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 431 mm
Embedding box dimensions: width = 162 mm – height = 416 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/18	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7772/20

VANDAL RESISTANT ALUMINIUM PANEL 20 BUTTONS ON 2 ROWS
Front panel dimensions: width = 180 mm – height = 454 mm
Embedding box dimensions: width = 162 mm – height = 439 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7772/20	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7774/20

VANDAL RESISTANT ALUMINIUM PANEL 20 BUTTONS ON 4 ROWS
Front panel dimensions: width = 340 mm – height = 270 mm
Embedding box dimensions: width = 320 mm – height = 250 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7774/20	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7774/24

VANDAL RESISTANT ALUMINIUM PANEL 24 BUTTONS ON 4 ROWS
Front panel dimensions: width = 340 mm – height = 293 mm
Embedding box dimensions: width = 320 mm – height = 273 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7774/24	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7774/28

VANDAL RESISTANT ALUMINIUM PANEL 28 BUTTONS ON 4 ROWS
Front panel dimensions: width = 340 mm – height = 316 mm
Embedding box dimensions: width = 320 mm – height = 296 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7774/28	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7774/32

VANDAL RESISTANT ALUMINIUM PANEL 32 BUTTONS ON 4 ROWS
Front panel dimensions: width = 340 mm – height = 339 mm
Embedding box dimensions: width = 320 mm – height = 319 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7774/32	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7774/36

VANDAL RESISTANT ALUMINIUM PANEL 36 BUTTONS ON 4 ROWS
Front panel dimensions: width = 340 mm – height = 362 mm
Embedding box dimensions: width = 320 mm – height = 342 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7774/36	VANDAL RESISTANT ALUMINIUM PANEL

Model PT7774/40

VANDAL RESISTANT ALUMINIUM PANEL 40 BUTTONS ON 4 ROWS

Front panel dimensions: width = 340 mm – height = 385 mm

Embedding box dimensions: width = 320 mm – height = 365 mm – depth = 57 mm

PRODUCT	DESCRIPTION
PT7774/40	VANDAL RESISTANT ALUMINIUM PANEL



LINE 7882A/90x

For customers who desire same first class quality for Prodel brass panels for their postalbox, Line 7882A/90x is the solution for audio phone systems.

7882A/90x Postalbox is manufactured, as Prodel brass panels, on 3mm thickness high quality brass layers.

Postalbox slit is integrated inside the panel to offer the highest quality and reliable solution.

LINE 7882A/90x – POSTALBOX AUDIO BRASS PANELS FOR LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 WITH INTEGRATED SLIT; EMBEDDING BOX AND REAR DOOR FOR MAIL COLLECTION NOT INCLUDED

	PT7882A/90xLN	PT7882A/90xSO	PT7882A/90xLO	PT7882A/90xSB	PT7882A/90xSF	PT7882A/90xSA	PT7882A/90xLA	PT7882A/90xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT7882A/901

POSTALBOX AUDIO BRASS PANEL WITH INTEGRATED SLIT 1 BUTTON ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 364 mm
Embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/901LN	POLISHED NATURAL BRASS
PT7882A/901SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7882A/901LO	POLISHED BRASS COLOUR WITH **PVD**
PT7882A/901SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/901SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/901SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/901LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/901VM	OLD IRON BRASS



Model PT7882A/902

POSTALBOX AUDIO BRASS PANEL WITH INTEGRATED SLIT 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 364 mm
Embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT7882A/902LN	POLISHED NATURAL BRASS
PT7882A/902SO	BRUSHED BRASS COLOUR WITH **PVD**
PT7882A/902LO	POLISHED BRASS COLOUR WITH **PVD**
PT7882A/902SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT7882A/902SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT7882A/902SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/902LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT7882A/902VM	OLD IRON BRASS

LINE 1820A/90x

PT1820A/90x product family is video door entry phone version of 7882A/90x. It allows customer to have highly integrated solution using first class brass panel quality.

Line 1820A/90x can be used with most popular audio phone systems with loudspeakers like 1128/500 (4+N system), 1035/67 (1+N system), 1038/62 (DIGIVOICE system), 1072/19A (BIBUS system), 1082/101 (2GO! system) and COLOUR camera 1810/40 or B/W camera 1810/70.

LINE 1820A/90x – POSTALBOX VIDEO BRASS PANELS COMPATIBLE WITH COLOUR CAMERA 1810/40 OR B/W 1810/70 AND LOUDSPEAKER 1035/67, 1128/500, 1038/62, 1072/19A, 1082/101 AND WITH INTEGRATED SLIT; EMBEDDING BOX AND REAR DOOR FOR MAIL COLLECTION NOT INCLUDED

	PT1820A/90xLN	PT1820A/90xSO	PT1820A/90xLO	PT1820A/90xSB	PT1820A/90xSF	PT1820A/90xSA	PT1820A/90xLA	PT1820A/90xVM
PVD protection		☑	☑	☑	☑	☑	☑	
Embedding box	☑	☑	☑	☑	☑	☑	☑	☑
Loudspeaker support	☑	☑	☑	☑	☑	☑	☑	☑
LED backlight for each nameplate	☑	☑	☑	☑	☑	☑	☑	☑
Camera support	☑	☑	☑	☑	☑	☑	☑	☑
Natural brass buttons	☑							
Natural brass nameplates	☑							
PVD treatment on brass buttons		☑	☑	☑	☑	☑	☑	☑
PVD treatment on brass nameplates		☑	☑	☑	☑	☑	☑	☑



Model PT1820A/901

POSTALBOX VIDEO BRASS PANEL WITH INTEGRATED SLIT 1 BUTTON ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 364 mm
Embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/901LN	POLISHED NATURAL BRASS
PT1820A/901SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1820A/901LO	POLISHED BRASS COLOUR WITH **PVD**
PT1820A/901SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/901SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/901SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/901LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/901VM	OLD IRON BRASS



Model PT1820A/902

POSTALBOX VIDEO BRASS PANEL WITH INTEGRATED SLIT 2 BUTTONS ON 1 ROW
Embedding box type: model 625
Front panel dimensions: width = 206 mm – height = 364 mm
Embedding box dimensions: width = 190 mm – height = 286 mm – depth = 55 mm

PRODUCT	DESCRIPTION
PT1820A/902LN	POLISHED NATURAL BRASS
PT1820A/902SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1820A/902LO	POLISHED BRASS COLOUR WITH **PVD**
PT1820A/902SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1820A/902SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1820A/902SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/902LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1820A/902VM	OLD IRON BRASS

LETTER PLATES

For customers who are looking for independent solution for mail collection, they can keep same quality of their Prodel brass panel with Prodel letter plates 1515 and 1516.

PT1515 integrate brass slit with proprietary design for highest reliability while PT1516 has no slit.

Both can be mounted with plastic wall plugs to suit perfectly with mail windows in the wall.

Model PT1515

BRASS LETTER PLATES WITH INTEGRATED SLIT
Front panel dimensions: width = 280 mm – height = 180 mm
Slit dimensions: width = 210 mm – height = 40 mm
To mount with plastic wall plugs included

PRODUCT	DESCRIPTION
PT1515LN	POLISHED NATURAL BRASS
PT1515SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1515LO	POLISHED BRASS COLOUR WITH **PVD**
PT1515SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1515SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1515SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1515LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1515VM	OLD IRON BRASS

Model PT1516

BRASS LETTER PLATES WITHOUT INTEGRATED SLIT
Front panel dimensions: width = 280 mm – height = 180 mm
Slit dimensions: width = 220 mm – height = 40 mm
To mount with plastic wall plugs included

PRODUCT	DESCRIPTION
PT1516LN	POLISHED NATURAL BRASS
PT1516SO	BRUSHED BRASS COLOUR WITH **PVD**
PT1516LO	POLISHED BRASS COLOUR WITH **PVD**
PT1516SB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT1516SF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT1516SA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT1516LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT1516VM	OLD IRON BRASS

"Poste Regie" POSTALBOX

PT9000 and PT9001 represents Prodel solution for standard postalbox. Their special design allows perfect fitting with any houses.

In particular "Poste Regie" postalbox are very popular in semidetached houses and detached houses and are available in small size (PT9001) and regular size (PT9000).

Finally "Poste Regie" postalbox are available in four colours to satisfy all customer demand.

Model PT9000

"POSTE REGIE" POSTALBOX" REGULAR SIZE
Front panel dimensions: width = 290 mm – height = 445 mm – depth = 100 mm
Slit dimensions: width = 235 mm – height = 45 mm

PRODUCT	DESCRIPTION
PT9000VG	GREY COLOUR
PT9000VN	BLACK COLOUR
PT9000VR	RED COLOUR
PT9000VV	GREEN COLOUR

Model PT9001

"POSTE REGIE" POSTALBOX" SMALL SIZE
Plate dimensions: width = 290 mm – height = 420 mm – depth = 80 mm
Slit dimensions : width = 225 mm – height = 35 mm

PRODUCT	DESCRIPTION
PT9001VG	GREY COLOUR
PT9001VN	BLACK COLOUR
PT9001VR	RED COLOUR
PT9001VV	GREEN COLOUR

MAILBOX PANELS

Manufactured with massive brass Prodel mailbox 9002 are ideal solution for any house with rear collection.

Comfortable slit size is combined with proprietary design for the highest reliable solution.

Model PT9002

MAILBOX PANEL
Front panel dimensions: width = 340 mm – height = 180 mm
Slit dimensions: width = 245 mm – height = 45 mm

PRODUCT	DESCRIPTION
PT9002VO	BRASS COLOUR
PT9002VB	VARNISHED BRONZE COLOUR
PT9002VH	BLACK COLOUR

MAILBOX PANELS WITH DOOR BELL

PT9003 is similar to mailbox panel PT8002, but it integrates one button for door bell. Electrical contacts are behind the button so it can easily installed.

Model PT9003

MAIL BOX PANEL WITH DOOR BELL
Front panel dimensions: width = 340 mm – height = 245 mm
Slit dimensions: width = 245 mm – height = 45 mm

PRODUCT	DESCRIPTION
PT9003VO	BRASS COLOUR
PT9003VB	VARNISHED BRONZE COLOUR
PT9003VH	BLACK COLOUR

REAR DOOR FOR MAIL COLLECTION

Prodel PT9004 is the complementary solution to PT9002 and PT9003 for mail collection. In fact mailbox panels PT9002 and PT9003 need embedding box and door for rear collection.

PT9004 are manufacture in massive brass and they have same finishing representing the ideal fit for Prodel mailbox panels.

Three colours are available to satisfy all customer demands.

Model PT9004

REAR DOOR FOR MAIL COLLECTION
Front panel dimensions: width = 290 mm – height = 290 mm
Slit dimensions: width = 275 mm – height = 265 mm

PRODUCT	DESCRIPTION
PT9004VO	BRASS COLOUR
PT9004VB	VARNISHED BRONZE COLOUR
PT9004VH	BLACK COLOUR

MAILBOX PANELS WITH FRONT DOOR

When rear mail collection is not possible, PT9005 can be the solution.

Manufactured in massive brass mailbox it integrates front door for mail collection.

PT9005 offers the very reliable solution and it is available in three colours.

Model PT9005

MAILBOX PANEL WITH FRONT DOOR

Front panel dimensions: width = 290 mm – height = 370 mm
Slit dimensions: width = 220 mm – height = 40 mm
Embedding box dimensions: width = 275 mm – height = 345 mm

PRODUCT	DESCRIPTION
PT9005VO	BRASS COLOUR
PT9005VB	VARNISHED BRONZE COLOUR
PT9005VH	BLACK COLOUR

SPECIAL SOLUTIONS

Do not hesitate to submit us your request for special solutions.

Prodel is one of the market leader for special solutions being able to offer highest quality and reliability of standard product also for this fully customized parts ("Special Brass Panel Request for Quotation" document available at page 169).

Mondo
Vacanze

Fulfil form below and send by fax (+39) 011 2485083 or by email pulsantiere@prodeltorino.it

PRODEL S.r.l. Design & TECHNOLOGY

Special Brass Panel Request For Quotation Document

AGENCY		AUTHOR		DATE	

CUSTOMER	

VIDEO DOOR PHONE	
AUDIO DOOR PHONE	

NUMBER OF BUTTONS	

NUMBER OF BUTTON COLUMNS	

FINISHING	
POLISHED NATURAL BRASS	
POLISHED BRASS COLOUR WITH **PVD**	
BRUSHED BRASS COLOUR WITH **PVD**	
BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**	
BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**	
BRUSHED BRASS STEEL COLOUR WITH **PVD**	
POLISHED BRASS STEEL COLOUR WITH **PVD**	
OLD IRON BRASS	

EMBEDDING BOX	
EMBEDDING BOX REQUIRED ?	
ADDITIONAL INFORMATION ON EXISTING EMBEDDING BOX	

RETROFIT ON OLD ALREADY INSTALLED URMET PANEL?	
ADDITIONAL INFORMATION ON URMET EMBEDDING BOX	

NO-URMET EMBEDDING BOX ?	

EMBEDDING BOX WIDTH	
EMBEDDING BOX HEIGHT	

LED REQUIRED ?	
LED COLOUR ?	

PANEL DIMENSIONS [cm]	
TOTAL WIDTH (A)	
TOTAL HEIGHT (B)	
HORIZONTAL WHEEL TRACK (C)	
VERTICAL WHEEL TRACK (D)	
VERTICAL HEIGHT OF UNSHAPED AREA (E)	

ELECTRONIC COMPATIBILITY	
LOUDSPEAKER REQUIRED	
CAMERA REQUIRED	

Please select the right **SHAPE** for the brass panel required



Please use blank section below to design roughly the **BASIC DRAWING** of the panel required

Please add below any **FURTHER COMMENTS** that could be needed for the quotation

	1 ROW PANEL = 20 DIGITS MAX	2 ROWS PANEL = 25 DIGITS MAX
ENGRAVING REQUIRED?	ROW 1	
	ROW 2	

PRODEL INTERNAL NOTE
PTFA

DOCUMENT VERSION V3

PLATE ENGRAVING

Prodel manufacture highest quality brass plate with customized engraving. Customers can combine quality of brass panels with advertising plates.

Without any doubt Prodel plate engraving are the best presentation for your business.

Usually business plates and badges are manufactured in thin brass layer with transparent painting so along the time it will oxidize getting dark colour.

Prodel is one of few manufacturers proposing PVD deposition, an antioxidation and anticorrosion treatment that protects the plate against atmospheric factors.
PVD deposition protects the panel keeping it as shining as the beginning. For cleaning there is no need to use brass cleaners, but just polish with a soft dry cloth.

Model PT825/N

BRASS DOOR PLATE
Embedding box type: 1 Sinthesi module
Front panel dimensions: width = 132 mm – height = 198 mm
Embedding box dimensions: width = 118 mm – height = 114 mm – depth = 45 mm

PRODUCT	DESCRIPTION
PT825/NSO	BRUSHED BRASS COLOUR WITH **PVD**
PT825/NLO	POLISHED BRASS COLOUR WITH **PVD**
PT825/NSB	BRUSHED BRASS COPPER BRONZE COLOUR WITH **PVD**
PT825/NSF	BRUSHED BRASS GUNMETAL COLOUR WITH **PVD**
PT825/NSA	BRUSHED BRASS STEEL COLOUR WITH **PVD**
PT825/NLA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT825/NVM	OLD IRON BRASS



Model PT8006/00

HORIZONTAL WAVED BRASS PLATE WITHOUT NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/00LN	POLISHED NATURAL BRASS
PT8006/00LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/00LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8006/00VM	OLD IRON BRASS



Model PT8006/10

HORIZONTAL WAVED BRASS PLATE WITH NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8009/00

HORIZONTAL RECTANGULAR BRASS PLATE WITHOUT NAME ENGRAVING
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/00LN	POLISHED NATURAL BRASS
PT8009/00LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/00LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8009/00VM	OLD IRON BRASS



Model PT8009/10

HORIZONTAL RECTANGULAR BRASS PLATE WITH NAME ENGRAVING
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8010/00

UPPER HALF WAVED BRASS PLATE WITH ENGRAVING OUTLINE WITHOUT NAME ENGRAVING
Front panel dimensions: width = 138 mm – height = 96 mm. Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8010/00LN	POLISHED NATURAL BRASS
PT8010/00LO	POLISHED BRASS COLOUR WITH **PVD**
PT8010/00LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8010/00VM	OLD IRON BRASS

Model PT8010/10

UPPER HALF WAVED BRASS PLATE WITH ENGRAVING OUTLINE WITH NAME ENGRAVING
Front panel dimensions: width = 138 mm – height = 96 mm. Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8010/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT8010/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8010/40

BOTTOM HALF WAVED BRASS PLATE WITH ENGRAVING OUTLINE WITH NAME ENGRAVING
Front panel dimensions: width = 138 mm – height = 96 mm. Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8011/40LO	POLISHED BRASS COLOUR WITH **PVD**
PT8011/40LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8011/00

SMALL OVAL BRASS PLATE WITHOUT NAME ENGRAVING
Front panel dimensions: width = 110 mm – height = 55 mm.
Wheel track = 97mm

PRODUCT	DESCRIPTION
PT8011/00LN	POLISHED NATURAL BRASS
PT8011/00LO	POLISHED BRASS COLOUR WITH **PVD**
PT8011/00LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8011/00VM	OLD IRON BRASS

Model PT8011/10

SMALL OVAL BRASS PLATE WITH NAME ENGRAVING
Front panel dimensions: width = 110 mm – height = 55 mm.
Wheel track = 97mm

PRODUCT	DESCRIPTION
PT8011/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT8011/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8012/00

REGULAR OVAL BRASS PLATE WITHOUT NAME ENGRAVING
Front panel dimensions: width = 114 mm – height = 94 mm.
Wheel track = 120mm

PRODUCT	DESCRIPTION
PT8012/00LN	POLISHED NATURAL BRASS
PT8012/00LO	POLISHED BRASS COLOUR WITH **PVD**
PT8012/00LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8012/00VM	OLD IRON BRASS

Model PT8012/10

REGULAR OVAL BRASS PLATE WITH NAME ENGRAVING
Front panel dimensions: width = 114 mm – height = 94 mm
Wheel track = 120mm

PRODUCT	DESCRIPTION
PT8012/10LO	POLISHED BRASS COLOUR WITH **PVD**
PT8012/10LA	POLISHED BRASS STEEL COLOUR WITH **PVD**

DOOR BELLS

Prodel brass door bell product family consists of a wide range of bells that allows customers to bring elegance and quality of brass panels into the house.

Available in the same shape and finishing of the entrance brass panel, Prodel door bells are the ideal system solution for customers who choose the top of the quality and want to show differentiator over standard equipments.



Model PT8001/01

BRASS DOOR BELL 1 BUTTON
Front panel dimensions: diameter = 80 mm. Embedding box dimensions: diameter = 60 mm
Wheel track = 48 mm

PRODUCT	DESCRIPTION
PT8001/01LN	POLISHED NATURAL BRASS
PT8001/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8001/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8001/01VM	OLD IRON BRASS

Model PT8001/11

BRASS DOOR BELL 1 BUTTON WITH NAME ENGRAVING
Front panel dimensions: diameter = 80 mm. Embedding box dimensions: diameter = 60 mm
Wheel track = 48 mm

PRODUCT	DESCRIPTION
PT8001/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT8001/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8003/1

VERTICAL WAVED BRASS DOOR BELL OLD STYLE PRINTED 1 BUTTON WITH NAMEPLATE
Front panel dimensions: width = 120 mm – height = 140 mm. Wheel track = 100 mm

PRODUCT	DESCRIPTION
PT8003/1	OLD BRASS COLOUR



Model PT8003/2

VERTICAL WAVED BRASS DOOR BELL OLD STYLE PRINTED 2 BUTTONS WITH NAMEPLATE
Front panel dimensions: width = 120 mm – height = 160 mm. Wheel track = 120 mm

PRODUCT	DESCRIPTION
PT8003/2	OLD BRASS COLOUR



Model PT8004/1

UPPER HALF WAVED BRASS DOOR BELL 1 BUTTON WITH NAMEPLATE
Front panel dimensions: width = 120 mm – height = 94 mm

PRODUCT	DESCRIPTION
PT8004/1VB	VARNISHED BRONZE COLOUR
PT8004/1VO	BRASS COLOUR



Model PT8005/01

WAVED BRASS DOOR BELL 1 BUTTON WITH VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...)
Front panel dimensions: width = 165 mm – height = 86 mm. Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8005/01LN	POLISHED NATURAL BRASS
PT8005/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8005/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8005/01VM	OLD IRON BRASS



Model PT8005/11

WAVED BRASS DOOR BELL 1 BUTTON WITH VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...) WITH NAME ENGRAVING
Front panel dimensions: width = 165 mm – height = 86 mm. Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8005/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT8005/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8005/21

WAVED BRASS DOOR BELL 1 BUTTON WITH VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...) AND ENGRAVED NAMEPLATE
Front panel dimensions: width = 165 mm – height = 86 mm. Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8005/21LN	POLISHED NATURAL BRASS
PT8005/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT8005/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8005/21VM	OLD IRON BRASS



Model PT8006/01

WAVED BRASS DOOR BELL 1 BUTTON WITHOUT NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/01LN	POLISHED NATURAL BRASS
PT8006/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8006/01VM	OLD IRON BRASS



Model PT8006/11

WAVED BRASS DOOR BELL 1 BUTTON WITH NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8006/21

WAVED BRASS DOOR BELL 1 BUTTON AND ENGRAVED NAMEPLATE
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/01LN	POLISHED NATURAL BRASS
PT8006/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8006/21VM	OLD IRON BRASS



Model PT8006/31

WAVED BRASS DOOR BELL 1 BUTTON AND ENGRAVED NAMEPLATE WITH NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/31LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/31LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8006/02

WAVED BRASS DOOR BELL 2 BUTTONS WITHOUT NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/02LN	POLISHED NATURAL BRASS
PT8006/02LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/02LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8006/02VM	OLD IRON BRASS



Model PT8006/12

WAVED BRASS DOOR BELL 2 BUTTONS WITH NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/12LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8006/22

WAVED BRASS DOOR BELL 2 BUTTONS AND 2 ENGRAVED NAMEPLATES
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/22LN	POLISHED NATURAL BRASS
PT8006/22LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/22LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8006/22VM	OLD IRON BRASS



Model PT8006/32

WAVED BRASS DOOR BELL 2 BUTTONS AND 2 ENGRAVED NAMEPLATES WITH NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8006/32LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/32LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8007/01

VERTICAL WAVED BRASS DOOR BELL 1 BUTTON WITHOUT NAME ENGRAVING
Front panel dimensions: width = 86 mm – height = 150 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8007/01LN	POLISHED NATURAL BRASS
PT8007/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8007/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8007/01VM	OLD IRON BRASS



Model PT8007/11

VERTICAL WAVED BRASS DOOR BELL 1 BUTTON WITH NAME ENGRAVING
Front panel dimensions: width = 86 mm – height = 150 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8007/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT8007/11LA	POLISHED STEEL COLOUR WITH **PVD**



Model PT8007/21

VERTICAL WAVED BRASS DOOR BELL 1 BUTTON AND ENGRAVED NAMEPLATE
Front panel dimensions: width = 86 mm – height = 150 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8007/21LN	POLISHED NATURAL BRASS
PT8007/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT8007/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8007/21VM	OLD IRON BRASS



Model PT8007/31

VERTICAL WAVED BRASS DOOR BELL 1 BUTTON AND ENGRAVED NAMEPLATE WITH NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8007/31LO	POLISHED BRASS COLOUR WITH **PVD**
PT8007/31LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8009/01

RECTANGULAR BRASS DOOR BELL 1 BUTTON WITHOUT NAME ENGRAVING
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/01LN	POLISHED NATURAL BRASS
PT8009/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8009/01VM	OLD IRON BRASS



Model PT8009/11

RECTANGULAR BRASS DOOR BELL 1 BUTTON WITH NAME ENGRAVING
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8009/21

RECTANGULAR BRASS DOOR BELL 1 BUTTON AND ENGRAVED NAMEPLATE
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/21LN	POLISHED NATURAL BRASS **PVD**
PT8009/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8009/21VM	OLD IRON BRASS



Model PT8009/31

RECTANGULAR BRASS DOOR BELL 1 BUTTON AND ENGRAVED NAMEPLATE WITH NAME ENGRAVING
Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/31LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/31LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8009/02

RECTANGULAR BRASS DOOR BELL 2 BUTTONS WITHOUT NAME ENGRAVING
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/02LN	POLISHED NATURAL BRASS
PT8009/02LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/02LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8009/02VM	OLD IRON BRASS



Model PT8009/12

RECTANGULAR BRASS DOOR BELL 2 BUTTONS WITH NAME ENGRAVING
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/12LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/12LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8009/22

RECTANGULAR BRASS DOOR BELL 2 BUTTONS AND 2 ENGRAVED NAMEPLATES
Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/22LN	POLISHED NATURAL BRASS
PT8009/22LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/22LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8009/22VM	OLD IRON BRASS



Model PT8009/32

RECTANGULAR BRASS DOOR BELL 2 BUTTONS AND 2 ENGRAVED NAMEPLATES WITH NAME ENGRAVING

Front panel dimensions: width = 150 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8009/32LO	POLISHED BRASS COLOUR WITH **PVD**
PT8009/32LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8010/01

UPPER HALF WAVED BRASS DOOR BELL 1 BUTTON WITHOUT NAME ENGRAVING

Front panel dimensions: width = 138 mm – height = 96 mm. Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8010/01LN	POLISHED NATURAL BRASS
PT8010/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8010/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8010/01VM	OLD IRON BRASS



Model PT8010/11

UPPER HALF WAVED BRASS DOOR BELL 1 BUTTON WITH NAME ENGRAVING

Front panel dimensions: width = 138 mm – height = 96 mm. Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8010/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT8010/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**



Model PT8010/21

BOTTOM HALF WAVED BRASS DOOR BELL 1 BUTTON AND ENGRAVED NAMEPLATE

Front panel dimensions: width = 123 mm – height = 86 mm. Embedding box type: 3 holders
Wheel track = 83 mm

PRODUCT	DESCRIPTION
PT8010/21LN	POLISHED NATURAL BRASS
PT8010/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT8010/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8010/21VM	OLD IRON BRASS



Model PT8010/41

BOTTOM HALF WAVED BRASS DOOR BELL 1 BUTTON WITH NAME ENGRAVING

Front panel dimensions: width = 138 mm – height = 96 mm. Wheel track = 83mm

PRODUCT	DESCRIPTION
PT8011/41LO	POLISHED BRASS COLOUR WITH **PVD**
PT8011/41LA	POLISHED BRASS STEEL COLOUR WITH **PVD**

Model PT8020

ALUMINIUM DOOR PANEL 1 BUTTON WITH NAMEPLATE

Front panel dimensions: width = 122 mm – height = 100 mm
Wheel track = 83mm

PRODUCT	DESCRIPTION
PT8020VM	OLD IRON COLOUR
PT8020AB	ANODISED BRONZE

BRASS SWITCH COVERS

For most exigent customers, Prodel quality follows them inside the house with brass switch covers.

Prodel switch covers completes the whole set of highest quality Prodel brass equipments that includes intercom brass panels at building entry level then door bells at each stages and finally switch covers inside the house.

All brass items can be manufactured in the same shape and finishing.

Prodel switch cover represents the highest quality solution available in the market.

Brass Switch Covers



Model PT8005/21

WAVED BRASS DOOR BELL 1 BUTTON WITH VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...) AND ENGRAVED NAMEPLATE

Front panel dimensions: width = 165 mm – height = 86 mm. Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8005/21LN	POLISHED NATURAL BRASS
PT8005/21LO	POLISHED BRASS COLOUR WITH **PVD**
PT8005/21LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8005/21VM	OLD IRON BRASS



Model PT8006/00

SMALL WAVED BRASS PLATE WITHOUT NAME ENGRAVING

Front panel dimensions: width = 150 mm – height = 86 mm.
Embedding box type: 3 holders
Wheel track = 83,5 mm

PRODUCT	DESCRIPTION
PT8006/00LN	POLISHED NATURAL BRASS
PT8006/00LO	POLISHED BRASS COLOUR WITH **PVD**
PT8006/00LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8006/00VM	OLD IRON BRASS

Model PT8400/00

REGULAR WAVED BRASS PLATE WITHOUT NAME ENGRAVING

Front panel dimensions: width = 165 mm – height = 86 mm. Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8400/00LN	POLISHED NATURAL BRASS
PT8400/00LO	POLISHED BRASS COLOUR WITH **PVD**
PT8400/00LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8400/00VM	OLD IRON BRASS



Model PT8400/01

WAVED BRASS SWITCH COVER 1 VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...)

Front panel dimensions: width = 150 mm – height = 86 mm.
Embedding box type: 3 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8400/01LN	POLISHED NATURAL BRASS
PT8400/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8400/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8400/01VM	OLD IRON BRASS



Model PT8400/02

WAVED BRASS SWITCH COVER 2 VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...), 1 VIMAR IDEA DOUBLE HOLDER (e.g. THERMOSTAT, SHUKO PLUG, RINGER, ...)

Front panel dimensions: width = 150 mm – height = 86 mm.
Embedding box type: 3 holders
Wheel track = 83,5 mm

PRODUCT	DESCRIPTION
PT8400/02LN	POLISHED NATURAL BRASS
PT8400/02LO	POLISHED BRASS COLOUR WITH **PVD**
PT8400/02LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8400/02VM	OLD IRON BRASS



Model PT8400/03

WAVED BRASS SWITCH COVER 3 VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...), 1 VIMAR IDEA DOUBLE HOLDER (e.g. THERMOSTAT, SHUKO PLUG, RINGER, ...), 1 VIMAR IDEA TRIPLE HOLDER (e.g. TIMER THERMOSTAT, ...)

Front panel dimensions: width = 150 mm – height = 86 mm
Embedding box type: 3 holders
Wheel track = 83,5 mm

PRODUCT	DESCRIPTION
PT8400/03LN	POLISHED NATURAL BRASS
PT8400/03LO	POLISHED BRASS COLOUR WITH **PVD**
PT8400/03LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8400/03VM	OLD IRON BRASS



Model PT8400/04

PLACCA IN OTTONE CON COMBINAZIONI MULTIPLE DI PORTA FRUTTO SINGOLO MODEL VIMAR IDEA (e.g. BUTTON, SWITCH, BURGLAR KEY, ...), PORTA FRUTTO DOPPIO (e.g. THERMOSTAT, SHUKO PLUG, RINGER, ...), TRIPLE HOLDER (e.g. TIMER THERMOSTAT, ...)

Front panel dimensions: width = 165 mm – height = 86 mm
Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8400/04LN	POLISHED NATURAL BRASS
PT8400/04LO	POLISHED BRASS COLOUR WITH **PVD**
PT8400/04LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8400/04VM	OLD IRON BRASS



Model PT8005/01

WAVED BRASS DOOR BELL 1 BUTTON WITH VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...)

Front panel dimensions: width = 165 mm – height = 86 mm. Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8005/01LN	POLISHED NATURAL BRASS
PT8005/01LO	POLISHED BRASS COLOUR WITH **PVD**
PT8005/01LA	POLISHED BRASS STEEL COLOUR WITH **PVD**
PT8005/01VM	OLD IRON BRASS



Model PT8005/11

WAVED BRASS DOOR BELL 1 BUTTON WITH VIMAR IDEA HOLDER (e.g. BUTTON, SWITCH, BURGLAR KEY, ...) WITH NAME ENGRAVING

Front panel dimensions: width = 165 mm – height = 86 mm. Embedding box type: 4 holders
Wheel track = 108,5 mm

PRODUCT	DESCRIPTION
PT8005/11LO	POLISHED BRASS COLOUR WITH **PVD**
PT8005/11LA	POLISHED BRASS STEEL COLOUR WITH **PVD**

ACCESSORIES FOR BRASS PANELS

Street name engraving, nameplate engraving are some examples of wide set of customizations that Prodel can offer.
In addition Prodel supplies all accessories like buttons, LED for backlight, housing and newest Carrara marble frame for Prodel brass panels.

Prodel brass panels using Sinthesi/Kombi embedding boxes can be supplied with proprietary housing manufactured in stainless steel and available on same PVD deposition colour of brass panels.

1 row (Sinthesi/kombi, 625 and 725) and 2 rows (only 625 and 725) panels can be coupled with rain cover hoods manufactured in stainless steel and available with same PVD colour of Prodel brass panel.

Rain cover hoods can be sold separately, while housing has to be sold jointly with the brass panel due to mechanical customizations that have to be done on the panel.

Brass Panel Accessories

Model PT1530

ENGRAVING OF 1 ROW ON A BRASS PANEL
Font: SL43 or AERO

PRODUCT	DESCRIPTION
PT1530SL43	Engraving of 1 row with SL43 font
PT1530AERO	Engraving of 1 row with AERO font

Model PT1531

ENGRAVING OF EACH ADDITIONAL ROW ON A BRASS PANEL
Font: SL43 or AERO

PRODUCT	DESCRIPTION
PT1531SL43	Engraving of each additional row with SL43 font
PT1531AERO	Engraving of each additional row with AERO font

Model PT1511

RAIN COVER HOOD FOR 1 ROW BRASS PANEL
Embedding box type: model 625, 725 or Sinthesi

PRODUCT	DESCRIPTION
PT1511/O	STAINLESS STEEL BRASS COLOUR WITH **PVD**
PT1511/B	STAINLESS STEEL COPPER BRONZE COLOUR WITH **PVD**
PT1511/F	STAINLESS STEEL GUNMETAL COLOUR WITH **PVD**
PT1511/A	STAINLESS STEEL COLOUR WITH **PVD**
PT1511/M	STAINLESS STEEL OLD IRON COLOUR

Model PT1512

RAIN COVER HOOD FOR 2 ROWS BRASS PANEL
Embedding box type: model 625 or 725

PRODUCT	DESCRIPTION
PT1512/O	STAINLESS STEEL BRASS COLOUR WITH **PVD**
PT1512/B	STAINLESS STEEL COPPER BRONZE COLOUR WITH **PVD**
PT1512/F	STAINLESS STEEL GUNMETAL COLOUR WITH **PVD**
PT1512/A	STAINLESS STEEL COLOUR WITH **PVD**
PT1512/M	STAINLESS STEEL OLD IRON COLOUR

Model PT1551S

WHITE LED CIRCUIT FOR NAMEPLATE BACKLIGHT SINGLE STEP
Compatible with panels with wheel track = 28 mm

ONE White LED circuit PT1551S can be used as backlight for ONE nameplate at 28 mm step

PRODUCT	DESCRIPTION
PT1551S	WHITE LED CIRCUIT SINGLE STEP 28 mm

Model PT1551D

WHITE LED CIRCUIT FOR NAMEPLATE BACKLIGHT DOUBLE STEP
Compatible with panels with wheel track = 21,5 mm

ONE White LED circuit PT1551D can be used as backlight for TWO nameplates at 21,5 mm step

PRODUCT	DESCRIPTION
PT1551D	WHITE LED CIRCUIT DOUBLE STEP 21,5 mm

Model PT8050 – Available jointly with brass panel only

STAINLESS STEEL HOUSING FOR 1 MODULE SINTHESI/KOMBI BRASS PANELS
Embedding box type: 1 Sinthesi module
Housing dimensions: upper side depth = 102 mm – bottom side depth = 60 mm – width = 138 mm – height = 198 mm

PRODUCT	DESCRIPTION
PT8050/O	STAINLESS STEEL BRASS COLOUR WITH **PVD** FOR 1 MODULE EMBEDDING BOX
PT8050/B	STAINLESS STEEL COPPER BRONZE COLOUR WITH **PVD** FOR 1 MODULE EMBEDDING BOX
PT8050/F	STAINLESS STEEL GUNMETAL COLOUR WITH **PVD** FOR 1 MODULE EMBEDDING BOX
PT8050/A	STAINLESS STEEL COLOUR WITH **PVD** FOR 1 MODULE EMBEDDING BOX
PT8050/M	STAINLESS STEEL OLD IRON COLOUR FOR 1 MODULE EMBEDDING BOX

Model PT8060 – Available jointly with brass panel only

STAINLESS STEEL HOUSING FOR 2 MODULES SINTHESI/KOMBI BRASS PANELS
Housing dimensions: upper side depth = 102 mm – bottom side depth = 60 mm – width = 138 mm – height = 270 mm

PRODUCT	DESCRIPTION
PT8060/O	STAINLESS STEEL BRASS COLOUR WITH **PVD** FOR 2 MODULES EMBEDDING BOX
PT8060/B	STAINLESS STEEL COPPER BRONZE COLOUR WITH **PVD** FOR 2 MODULES EMBEDDING BOX
PT8060/F	STAINLESS STEEL GUNMETAL COLOUR WITH **PVD** FOR 2 MODULES EMBEDDING BOX
PT8060/A	STAINLESS STEEL COLOUR WITH **PVD** FOR 2 MODULES EMBEDDING BOX
PT8060/M	STAINLESS STEEL OLD IRON COLOUR FOR 2 MODULES EMBEDDING BOX

Model PT8070 – Available jointly with brass panel only

STAINLESS STEEL HOUSING FOR 3 MODULES SINTHESI/KOMBI BRASS PANELS
Embedding box type: 3 Sinthesi modules
Housing dimensions: upper side depth = 102 mm – bottom side depth = 60 mm – width = 138 mm – height = 360 mm

PRODUCT	DESCRIPTION
PT8070/O	STAINLESS STEEL BRASS COLOUR WITH **PVD** FOR 3 MODULES EMBEDDING BOX
PT8070/B	STAINLESS STEEL COPPER BRONZE COLOUR WITH **PVD** FOR 3 MODULES EMBEDDING BOX
PT8070/F	STAINLESS STEEL GUNMETAL COLOUR WITH **PVD** FOR 3 MODULES EMBEDDING BOX
PT8070/A	STAINLESS STEEL COLOUR WITH **PVD** FOR 3 MODULES EMBEDDING BOX
PT8070/M	STAINLESS STEEL OLD IRON COLOUR FOR 3 MODULES EMBEDDING BOX

Model PT8080 – Available jointly with brass panel only

STAINLESS STEEL HOUSING FOR 4 MODULES SINTHESI/KOMBI BRASS PANELS
Embedding box type: 4 Sinthesi modules
Housing dimensions: upper side depth = 102 mm – bottom side depth = 60 mm – width = 138 mm – height = 450 mm

PRODUCT	DESCRIPTION
PT8080/O	STAINLESS STEEL BRASS COLOUR WITH **PVD** FOR 4 MODULES EMBEDDING BOX
PT8080/B	STAINLESS STEEL COPPER BRONZE COLOUR WITH **PVD** FOR 4 MODULES EMBEDDING BOX
PT8080/F	STAINLESS STEEL GUNMETAL COLOUR WITH **PVD** FOR 4 MODULES EMBEDDING BOX
PT8080/A	STAINLESS STEEL COLOUR WITH **PVD** FOR 4 MODULES EMBEDDING BOX
PT8080/M	STAINLESS STEEL OLD IRON COLOUR FOR 4 MODULES EMBEDDING BOX

Brass Panel Accessories

Model PT1510

ENGRAVING OF BRASS NAMEPLATE
Engraving font: STENCIL

PRODUCT	DESCRIPTION
PT1510LN	POLISHED NATURAL BRASS
PT1510LO	POLISHED BRASS COLOUR WITH **PVD**
PT1510LA	POLISHED BRASS STEEL COLOUR WITH **PVD**

Model PT1540

ENGRAVING OF PLASTIC (PVC) NAMEPLATE
Engraving font: SL43

PRODUCT	DESCRIPTION
PT1540	PVC

Model PT1541

ENGRAVING OF PLASTIC (PVC) NAMEPLATE
Engraving font: AERO

PRODUCT	DESCRIPTION
PT1541	PVC

Model PT8051

CARRARA MARBLE FRAME FOR 1 MODULE SINTHESI/KOMBI BRASS PANELS
Embedding box type: 1 Sinthesi module
Frame dimensions: width = 182 mm – height = 248 mm

PRODUCT	DESCRIPTION
PT8051	CARRARA MARBLE FRAME FOR 1 MODULE EMBEDDING BOX

Model PT8061

CARRARA MARBLE FRAME FOR 2 MODULES SINTHESI/KOMBI BRASS PANELS
Embedding box type: 2 Sinthesi modules
Frame dimensions: width = 182 mm – height = 320 mm

PRODUCT	DESCRIPTION
PT8061	CARRARA MARBLE FRAME FOR 2 MODULES EMBEDDING BOX

Model PT8071

CARRARA MARBLE FRAME FOR 3 MODULES SINTHESI/KOMBI BRASS PANELS
Embedding box type: 3 Sinthesi modules
Frame dimensions: width = 182 mm – height = 410 mm

PRODUCT	DESCRIPTION
PT8071	CARRARA MARBLE FRAME FOR 3 MODULES EMBEDDING BOX



Model PT8081

CARRARA MARBLE FRAME FOR 4 MODULES SINTHESI/KOMBI BRASS PANELS
Embedding box type: 4 Sinthesi modules
Frame dimensions: width = 182 mm – height = 500 mm

PRODUCT	DESCRIPTION
PT8081	CARRARA MARBLE FRAME FOR 4 MODULES EMBEDDING BOX

Great news from Prodel!
Carrara marble frame are now available for brass panels on 1, 2, 3 and 4 Sinthesi/Kombi module embedding boxes.

Manufactured with most valuable Carrara marbles, Prodel marble frames give additional stylist differentiation to distinguished residences.

Carrara marble frames by Prodel: when Prodel brass panels quality is joined with historical prestige of Carrara marbles, the result is simply the best.

Prodel marble frames can be mounted on Sinthesi/Kombi embedding box 1 module (PT8051 frame), 2 modules (PT8061 frame), 3 modules (PT8071 frame) and 4 modules (PT8081 frame).

Mounting is very easy. Just put the marble frame holes on the same position of existing embedding box holes and fix the special wall plugs provided with the fame in the additional two holes of the marble.

Then brass panel can be fixed to the marble with brass screws included.

Carrara marble frames by Prodel can be sold independently from brass panels.
Therefore they can mounted on already installed embedding box, or ordered jointly with your new Prodel brass panel.

ELECTRONIC RINGERS

Prodel electronic ringers can be used as door bells, ring repeater, ring generator and all other applications where powerful ring tone is required.

Model PT003 produces very powerful ting tone, particularly suited in noisy environments.

PT031 produces pleasant tone with volume control to customize power of the sound and follow user wishes.

Finally historic 3-tones ringer PT039 with very popular DIN-DON-DAN melody. PT039 can be used in many applications: from floor advisor ring tone inside elevators to starting ring tones for voice messages, from door bell to intercom tone repeater.

The most important feature of PT039 is that it can be supplied by standard 9V battery, thus it can be used in many applications.
It can be installed everywhere in the house, and it just needs enable signal to work. So it can be used as ringer repeater, ringer generator or door bell.

Model PT003

TWO-TONES ELECTRONIC RINGER 12 V AC/DC

Two operating modes

- 12VAC: 1KHz tone modulated at 50Hz
- 12VDC: 1KHz tone

PRODUCT	DESCRIPTION
PT003	TWO-TONES RINGER 12 V AC/DC

Model PT031

TWO-TONES ELECTRONIC RINGER 12 V AC/DC

Volume control

PRODUCT	DESCRIPTION
PT031	TWO-TONES ELECTRONIC RINGER 12 V AC/DC WITH VOLUME CONTROL

Model PT039

THREE-TONES ELECTRONIC RINGER FOR UNIVERSAL USAGE

Three melodies:

- DIN-DON-DAN
- DIN-DON
- DIN

It can also be used as ring repeater in phone call system

It is supplies by 9V battery

PRODUCT	DESCRIPTION
PT039	THREE-TONES ELECTRONIC RINGER

LINE 106

HANDSFREE INTERCOM FOR SYSTEMS BASED ON SWITCHBOARD URMET 826/18

Model PT106 can be used in typical systems based on switchboard Urmet Domus 826/18. PT106 products are connected to 826/18 bus with decoding units similar to 826/54.

Line PT106 is available on Urmet panel design like Sinthesi or K-Steel.

In both cases, some PT106 products integrate on board the decoding unit for 826/18 bus connection (model PT106/S, PT106/K).

In the K-Steel version PT106/1K1 also integrates call button and loudspeaker unit or loudspeaker unit only without button (PT106/1K0).



As shown in the picture, PT106 can be supplied by Prodel anti black out power supply unit PT9501 (see pages 200 – 201).

PT9501 should be used in couple to supply the 826/18 Urmet switchboard system at 24V.

Standard rule is to use a couple of PT9501 for the switchboard and then one couple for each group of 8 devices PT106.

Model PT106/S

HANDSFREE INTERCOM DEVICE ON SINTHESI DESIGN WITH SINGLE DECODING INTEGRATED

It can be used as handsfree device in 826/18 Urmet switchboard. It is mounted on Sinthesi blank module and integrates on board the single decoding and intercom interface.
PT106/S needs accessories like call button, loudspeaker, embedding box and frame.

PRODUCT	DESCRIPTION
PT106/S	HANDSFREE INTERCOM SINTHESI DEVICE WITH SINGLE DECODING INTEGRATED

Model PT106/1S

HANDSFREE INTERCOM DEVICE ON SINTHESI DESIGN FOR EXTERNAL MULTIPLE DECODING (NOT INTEGRATED)

It can be used as handsfree device in 826/18 Urmet switchboard. It is mounted on Sinthesi blank module and integrates on board the intercom interface.
PT106/1S has to be connected to external multiple decoding 826/23 e 826/34.
PT106/S needs accessories like call button, loudspeaker, embedding box and frame.

PRODUCT	DESCRIPTION
PT106/1S	HANDSFREE INTERCOM SINTHESI DEVICE FOR EXTERNAL MULTIPLE DECODING

Model PT106/K

HANDSFREE INTERCOM DEVICE ON K-STEEL DESIGN WITH SINGLE DECODING INTEGRATED

It can be used as handsfree device in 826/18 Urmet switchboard. It is mounted on K-Steel blank module and integrates on board the single decoding and intercom interface.
PT106/K needs accessories like call button, loudspeaker, embedding box and frame.

PRODUCT	DESCRIPTION
PT106/K	HANDSFREE INTERCOM K-STEEL DEVICE WITH SINGLE DECODING INTEGRATED

Model PT106/1K

HANDSFREE INTERCOM DEVICE ON K-STEEL DESIGN FOR EXTERNAL MULTIPLE DECODING (NOT INTEGRATED)

It can be used as handsfree device in 826/18 Urmet switchboard. It is mounted on K-Steel blank module and integrates on board the intercom interface. PT106/1K has to be connected to external multiple decoding 826/23 e 826/34. PT106/1K needs accessories like call button, loudspeaker, embedding box and frame.

PRODUCT	DESCRIPTION
PT106/1K	HANDSFREE INTERCOM K-STEEL DEVICE FOR EXTERNAL MULTIPLE DECODING

Model PT106/1K0

HANDSFREE INTERCOM DEVICE ON K-STEEL DESIGN FOR EXTERNAL MULTIPLE DECODING (NOT INTEGRATED) MOUNTED ON K-STEEL 1155/20 LOUDSPEAKER MODULE

It can be used as handsfree device in 826/18 Urmet switchboard. It is mounted on K-Steel loudspeaker module 1155/20 and integrates on board the intercom interface. PT106/1K0 has to be connected to external multiple decoding 826/23 e 826/34. PT106/1K0 needs accessories like call button, embedding box and frame.

PRODUCT	DESCRIPTION
PT106/1K0	HANDSFREE INTERCOM K-STEEL DEVICE FOR EXTERNAL MULTIPLE DECODING MOUNTED ON LOUDSPEAKER MODULE 1155/20

Model PT106/1K1

HANDSFREE INTERCOM DEVICE ON K-STEEL DESIGN FOR EXTERNAL MULTIPLE DECODING (NOT INTEGRATED) MOUNTED ON K-STEEL 1155/21 LOUDSPEAKER 1 BUTTON MODULE

It can be used as handsfree device in 826/18 Urmet switchboard. It is mounted on K-Steel loudspeaker module 1 button module 1155/21 and integrates on board the intercom interface. PT106/1K1 has to be connected to external multiple decoding 826/23 e 826/34. PT106/1K1 needs accessories like embedding box and frame.

PRODUCT	DESCRIPTION
PT106/1K1	HANDSFREE INTERCOM K-STEEL DEVICE FOR EXTERNAL MULTIPLE DECODING MOUNTED ON LOUDSPEAKER 1 BUTTON MODULE 1155/21

MODEL 1008

PT1008 is suited for applications like elevators, warehouses where is required to establish communication between door speaker unit, switchboard and a third handset station. Taking the example of elevators, user inside the cabin can call the switchboard in case of emergency. When technical support or firemen are ready in the machine room, the switchboard can activate direct communication between the cabin and the machine room to support the user inside the cabin and give instructions about how to proceed.

If anti-black-out functionality is required, customers can use a couple of PT9501 to provide the 24V required by the general system at 24V. Standard rule is to use a couple of PT9501 for the switchboard and then one couple for each group of 8 devices PT1008.

For wire sections and lengths just refer to 826 system specification.



HANDSFREE INTERCOM FOR SYSTEMS SUCH AS ELEVATORS, HOSPITALS, WAREHOUSES BASED ON SWITCHBOARD URMET 826/18



Model PT1008

HANDSFREE INTERCOM FOR SYSTEMS SUCH AS ELEVATORS, HOSPITALS, WAREHOUSES BASED ON SWITCHBOARD URMET 826/18

PT1008 CONSISTS OF:

- **DOOR ENTRYPHONE FOR MACHINE ROOM**
- **SINGLE DECODING AND AUDIO INTERFACE**
- **THE DEVICE IS MOUNTED ON WATERPROOF BOX**

Waterproof embedding box type: GW44207
Waterproof embedding box dimensions: 15 cm x 20 cm

PRODUCT	**DESCRIPTION**
PT1008	HANDSFREE INTERCOM FOR SYSTEMS SUCH AS ELEVATORS, HOSPITALS, WAREHOUSES

MODEL 1054

KITPT1054 is handsfree system developed to connect two sections of a vehicle in a extremely noisy environment like ambulances, buses, armours, police vehicles, security guards,…
The system manages half duplex communication selectable by "master" user, limiting the acoustic feedback (Larsen effect).
Therefore PT1054 is suited for very noisy environments where audio volume should be put at maximum level.

Power supply is standard 12V DC (standard vehicle battery voltage). PT1054 usually connects "slave" position like driver, that is always in communication with "master" position like armoured area of the security guard. Driver doesn't have to control anything on the device, so it can be completely focused on driving. Inside armoured area, security staff listen what happens on driver side and by pressing button they can invert communication and talk with driver. Releasing the button, the communication automatically is re-established from driver to armoured area.



HANDSFREE SYSTEM FOR EXTREMELY NOISY ENVIRONMENTS LIKE AMBULANCES, BUSES, ARMOURS, POLICE VEHICLES, SECURITY GUARDS

Similar applications for PT1054 can be found in vessels, warehouses, access control areas, customer help desks. In all these cases, the "master" can control the drive the direction of the communication maintaining at the highest level the sound level and avoiding undesirable acoustic feedback.

Model PT1054

HANDSFREE SYSTEM FOR NOISY ENVIRONMENT LIKE AMBULANCES, BUSES, ARMOURS, POLICE VEHICLES, SECURITY GUARDS

PT1054 CONSISTS OF:

- **MASTER DEVICE**
- **SLAVE DEVICE**
- **MICROPHONE**

PRODUCT	**DESCRIPTION**
PT1054	HANDSFREE SYSTEM FOR EXTREMELY NOISY ENVIRONMENTS

MODEL 9501

Power supply interruptions in intercom systems are no more a problem for customer using Prodel PT9501 backup supplies.

PT9501 is an backup power supply unit manufactured by Prodel and designed to supply intercom system at 12V in two operating modes.

When power network is active (GREEN LED on), PT9501 provides 12V regulated DC or AC voltage and it recharges internal battery (not included). If main power network is down(RED LED on) PT9501 provides 12VDC from internal battery.

PT9501 automatically manages instantaneous transition between battery recharge mode when main power network is ON to battery supply mode when black-out condition appears.

PT9501 is designed to guarantee the energy required by the system during the transition and it avoids dangerous power losses that could produces system operating failures.

MODEL 9501 – BACKUP POWER SUPPLY UNIT FOR INTERCOM SYSTEMS



When network supply is active, PT9501 recharges the battery (not included) and maintain the full charged battery.
So when black-out occurs and network power is off, PT9501 automatically switch the power using battery input full charged.

PT9501 is certified with European Community IEC950 specification.

Model PT9501

BACKUP POWER SUPPLY UNIT FOR INTERCOM SYSTEMS
It is particularly suited for Urmet intercom systems.
It integrates automatic battery charger circuit and power switch control to manage power supply transition during black-out conditions.
6,5 Ah Battery not included.
2x PT9501 coupled together can be used to supply 826 switchboard system

PRODUCT	DESCRIPTION
PT9501	BACKUP POWER SUPPLY UNIT FOR INTERCOM SYSTEMS

LINE 119

PT119 product family is based on handsfree intercom systems that can be connected to the telephone line, without any auxiliary products like switchboards. PT119 only need phone line as power supply thus, the product can be installed in applications where it is difficult to have several wires required in standard intercom systems. In addition PT119 can be programmed by remote changing dialling numbers and operating settings. When user send a call with PT119, the addressed person can talk with the user and pressing "#7" buttons on his phone, he can drive feature like door opening.

The electronic is mounted inside three Sinthesi modules.
PT119 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT119 against electrical discharges.

TELEPHONIC INTERCOM SYSTEMS – FROM 1 TO 4 BUTTONS

Models 119/41 and 119/42 are particularly suited for ***VANDAL RESISTANT*** *applications, thanks to their reliability and robustness.*

Special stainless steel buttons are mounted on the panel and do not exceed on the surface of the panel guaranteeing highest reliability and resistance.

PT119/41 and PT119/42 are extremely integrated products and can be mounted on 2 Sinthesi module embedding boxes.

Model PT119/11 and PT119/111

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES 1 BUTTON INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 1 BUTTON**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT119 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT119 against electrical discharges.

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT119/11	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 1 BUTTON
PT119/111	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 1 BUTTON WITH HOUSING

Model PT119/12 and PT119/112

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES 2 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 2 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT119 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT119 against electrical discharges.

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT119/12	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 2 BUTTONS
PT119/112	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 2 BUTTONS WITH HOUSING

Model PT119/13 and PT119/113

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES 3 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 3 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT119 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT119 against electrical discharges.

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT119/13	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 3 BUTTONS
PT119/113	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 3 BUTTONS WITH HOUSING

Model PT119/14 and PT119/114

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES 4 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 4 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT119 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT119 against electrical discharges.

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT119/14	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 4 BUTTONS
PT119/114	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 4 BUTTONS WITH HOUSING

Model PT119/41

HANDSFREE TELEPHONIC INTERCOM 1 BUTTON VANDAL RESISTANT IN 4 mm ALUMINIUM PANEL AND 2 SINTHESI MODULE EMBEDDING BOX INTEGRATING:

- **TELEPHONIC INTERFACE**
- **2 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **MICROPHONE MODULE**
- **1 BUTTON**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT119 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT119 against electrical discharges.

Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 194 mm
Embedding box dimensions: width = 118 mm – height = 205 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT119/41	HANDSFREE TELEPHONIC INTERCOM 1 BUTTON VANDAL RESISTANT

Model PT119/42

HANDSFREE TELEPHONIC INTERCOM 2 BUTTONS VANDAL RESISTANT IN 4 mm ALUMINIUM PANEL AND 2 SINTHESI MODULE EMBEDDING BOX INTEGRATING:

- **TELEPHONIC INTERFACE**
- **2 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **MICROPHONE MODULE**
- **2 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT119 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT119 against electrical discharges.

Embedding box type: 2 Sinthesi modules
Front panel dimensions: width = 136 mm – height = 194 mm
Embedding box dimensions: width = 118 mm – height = 205 mm – depth = 60 mm

PRODUCT	DESCRIPTION
PT119/42	HANDSFREE TELEPHONIC INTERCOM 2 BUTTONS VANDAL RESISTANT

LINE 118

PT118 product family is based on handsfree intercom systems that can be connected to the telephone line, without any auxiliary products like switchboards. PT118 only need phone line as power supply thus, the product can be installed in applications where it is difficult to have several wires required in standard intercom systems. In addition PT118 can be programmed by remote changing dialling numbers and operating settings. When user send a call with PT118, the addressed person can talk with the user and pressing "#7" buttons on his phone, he can drive feature like door opening.

Excepted model PT118/999S (completely integrated solution) the electronic is installed inside waterproof box mode GW44207 with dimensions 15 cm x 20 cm and should be installed at about 70 cm max from the front panel. PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality.

MODEL 118 – HANDSFREE TELEPHONIC INTERCOM PANEL FOR MORE THAN 4 BUTTONS

Most advanced version of PT118 product line is PT118/999 where up to 999 internal units can be addressed.
This solution is typically used for extremely big buildings and wide system areas.

Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.

Model PT118/05S

HANDSFREE TELEPHONIC INTERCOM PANEL 4 SINTHESI MODULES 5 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **4 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 5 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.

Embedding box type: 4 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	**DESCRIPTION**
PT118/05S	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 5 BUTTONS

Model PT118/06S

HANDSFREE TELEPHONIC INTERCOM PANEL 4 SINTHESI MODULES 6 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **4 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 6 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.

Embedding box type: 4 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	**DESCRIPTION**
PT118/06S	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 6 BUTTONS

Model PT118/07S

HANDSFREE TELEPHONIC INTERCOM PANEL 4 SINTHESI MODULES 7 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **4 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 7 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.

Embedding box type: 4 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	**DESCRIPTION**
PT118/07S	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 7 BUTTONS

Model PT118/08S

HANDSFREE TELEPHONIC INTERCOM PANEL 4 SINTHESI MODULES 8 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **4 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE WITH 8 BUTTONS**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.

Embedding box type: 4 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 384 mm – depth = 60 mm

PRODUCT	**DESCRIPTION**
PT118/08S	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES 8 BUTTONS

Model PT118/915S

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES FOR PANELS UP TO 15 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.
The electronic is installed inside waterproof box mode GW44207 with dimensions 15 cm x 20 cm and should be installed at about 70 cm max from the front panel.

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

Waterproof box type: GW44207
Waterproof box dimensions: width = 150 mm – height = 200 mm

PRODUCT	**DESCRIPTION**
PT118/915S	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES UP TO 15 BUTTONS

Model PT118/931S

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES FOR PANELS UP TO 31 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.
The electronic is installed inside waterproof box mode GW44207 with dimensions 15 cm x 20 cm and should be installed at about 70 cm max from the front panel.

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

Waterproof box type: GW44207
Waterproof box dimensions: width = 150 mm – height = 200 mm

PRODUCT	**DESCRIPTION**
PT118/931S	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES UP TO 31 BUTTONS

Model PT118/963S

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES FOR PANELS UP TO 63 BUTTONS INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **BLANK SINTHESI MODULE**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock.
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.
The electronic is installed inside waterproof box mode GW44207 with dimensions 15 cm x 20 cm and should be installed at about 70 cm max from the front panel.

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

Waterproof box type: GW44207
Waterproof box dimensions: width = 150 mm – height = 200 mm

PRODUCT	**DESCRIPTION**
PT118/963S	HANDSFREE TELEPHONIC INTERCOM PANEL MODULES UP TO 63 BUTTONS

Model PT118/999S

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES WITH KEYPAD FOR UP TO 999 USERS AND 1 ELECTRONIC LOCK DRIVER INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **TELEPHONIC KEYPAD MODULE**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.
PT118/999 can drive one electronic lock (with additional supply)

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	**DESCRIPTION**
PT118/999S	HANDSFREE TELEPHONIC INTERCOM PANEL 999 USERS 1 ELECTRONIC LOCK DRIVER

Model PT118/999S/2R

HANDSFREE TELEPHONIC INTERCOM PANEL 3 SINTHESI MODULES WITH KEYPAD FOR UP TO 999 USERS AND 2 ELECTRONIC LOCKS DRIVER INTEGRATING:

- **TELEPHONIC INTERFACE**
- **3 SINTHESI MODULE EMBEDDING BOX**
- **LOUDSPEAKER UNIT**
- **LED AND MICROPHONE MODULE**
- **TELEPHONIC KEYPAD MODULE**

The device provides same function of intercom system only using standard phone line.
Additional supply is only needed to drive electric lock
PT118 should be protected against radiofrequency and atmospheric disturbances to achieve optimum functionality. Independent power supply should be foreseen for nameplates backlight and finally phone line protection should be installed to protect PT118 against electrical discharges.
PT118/999 can drive two electronic locks (with additional supply)

Embedding box type: 3 Sinthesi modules
Embedding box dimensions: width = 118 mm – height = 294 mm – depth = 60 mm

PRODUCT	**DESCRIPTION**
PT118/999S/2R	HANDSFREE TELEPHONIC INTERCOM PANEL 999 USERS 2 ELECTRONIC LOCKS DRIVER

Notes

PVD TECHNOLOGY

PVD Coating

Galvanic Deposition

Rough Brass Panel

PVD coating is a recent technology born to be applied in the aerospace field, proved to be optimal for those products needing both functional and decorative coating, as they are subject to rubbing wear or because they are under corrosive conditions.
This technology is absolutely ecological, as it consists of vacuum evaporation of metal source. Meta exhalations then deposit on the surfaces to be coated a layer of pure Zirconium and Titanium Nitride

PRODEL reserves the right to make changes to the information contained in this document without prior notice.
No liability shall be incurred as a result of its use or application.

Catalogue version: November 2008

Exigo, Kombi, Sinthesi, 2GO! are trademarks registered by Urmet Domus S.p.A.

ENGLISH

PRODEL S.r.l.

Design & TECHNOLOGY

PROJECT
DESIGN for
ELECTRONIC SYSTEMS

Address:

Via Bologna 152
10154 Torino (Italy)
Tel: +39 011 24 84 103
Tel: +39 011 85 70 55
Tel: +39 011 23 36 19
Fax: +39 011 24 85 083

www.prodeltorino.it
info@prodeltorino.it